



## SANET DAILY Q&E 6X325ML WEST

WM 0713601

Order number: 0713601

Version 3.2

Revision Date 09.04.2016

Print Date 18.04.2016

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name : SANET DAILY Q&E 6X325ML WEST  
Identification number : 64533

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Cleaning agent  
Restricted to professional users.

#### 1.3 Details of the supplier of the safety data sheet

Company : tana Chemie GmbH  
Rheinallee 96  
55120 Mainz  
Telephone : +49613196403  
Telefax : +4961319642414  
E-mail address : Produktsicherheit@werner-mertz.com  
Responsible/issuing person  
Contact person : Product development / product safety

#### 1.4 Emergency telephone number

+49(0)6131-19240

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

##### Classification (REGULATION (EC) No 1272/2008)

Corrosive to metals, Category 1 H290: May be corrosive to metals.

Eye irritation, Category 2 H319: Causes serious eye irritation.

Skin irritation, Category 2 H315: Causes skin irritation.

#### 2.2 Label elements

##### Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal word : Warning

Hazard statements : H290 May be corrosive to metals.



## SANET DAILY Q&E 6X325ML WEST

WM 0713601

Order number: 0713601

Version 3.2

Revision Date 09.04.2016

Print Date 18.04.2016

	H315	Causes skin irritation.
	H319	Causes serious eye irritation.
Precautionary statements	: P102	Keep out of reach of children.
	<b>Prevention:</b>	
	P260	Do not breathe spray.
	P280	Wear protective gloves/ eye protection/ face protection.
	<b>Response:</b>	
	P305 + P351 + P338 + P310	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician.
	P302 + P350	IF ON SKIN: Gently wash with plenty of soap and water.
	<b>Disposal:</b>	
	P501	Only give completely emptied container to special waste disposer.

Hazardous components which must be listed on the label:

I-(+)-lactic acid

Safety data sheet available on request.

### Labelling (Dosage: 12 %)

Not a dangerous substance or mixture according to the Globally Harmonised System (GHS).

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.  
No information available.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

#### Hazardous components

Chemical Name	CAS-No. EC-No. Registration number	Classification (REGULATION (EC) No 1272/2008)	Concentration (%)
I-(+)-lactic acid	79-33-4 201-196-2 01-2119474164-39	Skin Irrit.2; H315 Eye Dam.1; H318	>= 5 - < 10
Alcohols, C12-14, ethoxylated, sulfates, sodium salts	68891-38-3 01-2119488639-16	Skin Irrit.2; H315 Eye Dam.1; H318 Aquatic Chronic3; H412	>= 5 - < 10
D-Glucopyranose, oligomers, decyl octyl glycosides	68515-73-1 01-2119488530-36	Eye Dam.1; H318	>= 2 - < 5



## SANET DAILY Q&E 6X325ML WEST

WM 0713601

Order number: 0713601

Version 3.2

Revision Date 09.04.2016

Print Date 18.04.2016

methanesulphonic acid	75-75-2 200-898-6 01-2119491166-34	Skin Corr.1B; H314 Met. Corr.1; H290 Acute Tox.4; H312 Acute Tox.4; H302 STOT SE3; H335 Eye Dam.1; H314	>= 1 - < 2
-----------------------	--	--	------------

For explanation of abbreviations see section 16.

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

- General advice : Move out of dangerous area.  
Consult a physician.  
Show this safety data sheet to the doctor in attendance.
- If inhaled : Move to fresh air.  
If symptoms persist, call a physician.
- In case of skin contact : Take off contaminated clothing and shoes immediately.  
In case of contact, immediately flush skin with soap and plenty of water.  
If symptoms persist, call a physician.
- In case of eye contact : Protect unharmed eye.  
If easy to do, remove contact lens, if worn.  
Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.  
If eye irritation persists, consult a specialist.
- If swallowed : Clean mouth with water and drink afterwards plenty of water.  
Do NOT induce vomiting.  
Do not give milk or alcoholic beverages.  
Never give anything by mouth to an unconscious person.  
Take victim immediately to hospital.

#### 4.2 Most important symptoms and effects, both acute and delayed

- Symptoms : corrosive effects
- Risks : No information available.

#### 4.3 Indication of any immediate medical attention and special treatment needed

- Treatment : For specialist advice physicians should contact the Poisons Information Service.

### SECTION 5: Firefighting measures

#### 5.1 Extinguishing media



## SANET DAILY Q&E 6X325ML WEST

WM 0713601

Order number: 0713601

Version 3.2

Revision Date 09.04.2016

Print Date 18.04.2016

Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

### 5.2 Special hazards arising from the substance or mixture

Specific hazards during firefighting : Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous combustion products :

### 5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.

Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.  
Ensure adequate ventilation.  
Evacuate personnel to safe areas.

### 6.2 Environmental precautions

Environmental precautions : Do not flush into surface water or sanitary sewer system.

### 6.3 Methods and materials for containment and cleaning up

Methods for cleaning up : Neutralize with chalk, alkali solution or ammonia.  
Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).  
Keep in suitable, closed containers for disposal.

### 6.4 Reference to other sections

For personal protection see section 8., Treat recovered material as described in the section "Disposal considerations"., Refer to section 15 for specific national regulation.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Advice on safe handling : For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. To avoid spills during handling keep bottle on a metal tray. Dispose of rinse water in accordance with local and national regulations.

Advice on protection against fire and explosion : Normal measures for preventive fire protection.



## SANET DAILY Q&E 6X325ML WEST

WM 0713601

Order number: 0713601

Version 3.2

Revision Date 09.04.2016

Print Date 18.04.2016

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store at room temperature in the original container.

Other data : No decomposition if stored and applied as directed.

### 7.3 Specific end use(s)

Specific use(s) : Cleaning agent

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

Contains no substances with occupational exposure limit values.

#### DNEL

**I-(+)-lactic acid  
79-33-4:**

: End Use: Workers  
Exposure routes: Inhalation  
Potential health effects: Short-term exposure, Local effects  
Value: 592 mg/m<sup>3</sup>

End Use: Consumers  
Exposure routes: Ingestion  
Potential health effects: Short-term exposure, Systemic effects

End Use: Consumers  
Exposure routes: Inhalation  
Potential health effects: Short-term exposure, Local effects  
Value: 296 mg/m<sup>3</sup>

**Alcohols, C12-14, ethoxylated,  
sulfates, sodium salts  
68891-38-3:**

: End Use: Workers  
Exposure routes: Skin contact  
Potential health effects: Long-term systemic effects

End Use: Workers  
Exposure routes: Inhalation  
Potential health effects: Long-term systemic effects  
Value: 175 mg/m<sup>3</sup>

End Use: Consumers  
Exposure routes: Skin contact



## SANET DAILY Q&E 6X325ML WEST

WM 0713601

Order number: 0713601

Version 3.2

Revision Date 09.04.2016

Print Date 18.04.2016

Potential health effects: Long-term systemic effects

End Use: Consumers  
Exposure routes: Inhalation  
Potential health effects: Long-term systemic effects  
Value: 52 mg/m<sup>3</sup>

End Use: Consumers  
Exposure routes: Ingestion  
Potential health effects: Long-term systemic effects

**D-Glucopyranose, oligomers, decyl octyl glycosides 68515-73-1:** : End Use: Workers  
Exposure routes: Skin contact  
Potential health effects: Long-term systemic effects

End Use: Workers  
Exposure routes: Inhalation  
Potential health effects: Long-term systemic effects  
Value: 420 mg/m<sup>3</sup>

End Use: Consumers  
Exposure routes: Skin contact  
Potential health effects: Long-term systemic effects

End Use: Consumers  
Exposure routes: Inhalation  
Potential health effects: Long-term systemic effects  
Value: 124 mg/m<sup>3</sup>

End Use: Consumers  
Exposure routes: Ingestion  
Potential health effects: Long-term systemic effects

**methanesulphonic acid 75-75-2:** : End Use: Workers  
Exposure routes: Inhalation  
Potential health effects: Long-term exposure, Local effects  
Value: 2,89 mg/m<sup>3</sup>

End Use: Workers  
Exposure routes: Skin contact  
Potential health effects: Long-term exposure, Systemic effects

End Use: Consumers  
Exposure routes: Inhalation  
Potential health effects: Long-term exposure, Systemic effects

End Use: Consumers  
Exposure routes: Inhalation  
Potential health effects: Short-term exposure, Systemic effects

End Use: Consumers  
Exposure routes: Skin contact  
Potential health effects: Long-term exposure, Systemic effects



## SANET DAILY Q&E 6X325ML WEST

WM 0713601

Order number: 0713601

Version 3.2

Revision Date 09.04.2016

Print Date 18.04.2016

### PNEC

**I-(+)-lactic acid**  
**79-33-4:** : Fresh water  
Value: 1,3 mg/l

STP  
Value: 10 mg/l

**Alcohols, C12-14, ethoxylated,**  
**sulfates, sodium salts**  
**68891-38-3:** : Fresh water  
Value: 0,24 mg/l

Marine water  
Value: 0,024 mg/l

Fresh water sediment  
Value: 0,9168 mg/kg

Marine sediment  
Value: 0,09168 mg/kg

Soil  
Value: 7,5 mg/kg

STP  
Value: 10000 mg/kg

intermittent release  
Value: 0,071 mg/l

**D-Glucopyranose, oligomers,**  
**decyl octyl glycosides**  
**68515-73-1:** : Fresh water  
Value: 0,176 mg/l

Marine water  
Value: 0,0176 mg/l

intermittent release  
Value: 0,27 mg/l

STP  
Value: 560 mg/l

Fresh water sediment  
Value: 1,516 mg/kg

Marine sediment  
Value: 0,152 mg/kg

Soil  
Value: 0,654 mg/kg

**methanesulphonic acid**  
**75-75-2:** : Fresh water  
Value: 0,012 mg/l

Marine water  
Value: 0,0012 mg/l



## SANET DAILY Q&E 6X325ML WEST

WM 0713601

Order number: 0713601

Version 3.2

Revision Date 09.04.2016

Print Date 18.04.2016

Fresh water sediment  
Value: 0,0251 mg/kg

Soil  
Value: 0,00183 mg/kg

### 8.2 Exposure controls

#### Personal protective equipment

Eye protection : If splashes are likely to occur, wear:  
Tightly fitting safety goggles

#### Hand protection

Material : For prolonged or repeated contact use protective gloves.  
Chemical resistant gloves made of butyl rubber or nitrile rubber  
category III according to EN 374.

Glove thickness : 0,4 mm

Remarks : Take note of the information given by the producer concerning  
permeability and break through times, and of special workplace  
conditions (mechanical strain, duration of contact).

Skin and body protection : Choose body protection according to the amount and concentration  
of the dangerous substance at the work place.  
Remove and wash contaminated clothing before re-use.

Respiratory protection : Not required; except in case of aerosol formation.  
Recommended Filter type:  
ABEK-P3-filter  
Ensure adequate ventilation, especially in confined areas.

#### Environmental exposure controls

General advice : Do not flush into surface water or sanitary sewer system.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Appearance : liquid

Colour : red

Odour : characteristic

Odour Threshold : No data available

pH : 0,95

Melting point/range : No data available



## SANET DAILY Q&E 6X325ML WEST

WM 0713601

Order number: 0713601

Version 3.2

Revision Date 09.04.2016

Print Date 18.04.2016

Boiling point/boiling range	: No information available.
Flash point	: Not applicable
Evaporation rate	: No data available
Flammability (solid, gas)	: No data available
Burning rate	: No data available
Lower explosion limit	: No data available
Upper explosion limit	: No data available
Vapour pressure	: No data available
Relative vapour density	: No data available
Relative density	: No data available
Density	: 1,041 g/cm <sup>3</sup> at 20 °C
Water solubility	: soluble
Solubility in other solvents	: No data available
Partition coefficient: n-octanol/water	: No data available
Ignition temperature	: No data available
Thermal decomposition	: No data available
Viscosity, dynamic	: No data available
Viscosity, kinematic	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available

### 9.2 Other information

none

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

Stable under recommended storage conditions., No dangerous reaction known under conditions of normal use.

### 10.2 Chemical stability

No decomposition if stored and applied as directed.

### 10.3 Possibility of hazardous reactions

Hazardous reactions : Stable under recommended storage conditions., No decomposition if used as directed.

### 10.4 Conditions to avoid



## SANET DAILY Q&E 6X325ML WEST

WM 0713601

Order number: 0713601

Version 3.2

Revision Date 09.04.2016

Print Date 18.04.2016

Conditions to avoid : No data available

### 10.5 Incompatible materials

Materials to avoid : No data available

### 10.6 Hazardous decomposition products

Hazardous decomposition products : No hazardous decomposition products are known.

Other information : No hazardous decomposition products are known.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Product

Acute oral toxicity : Acute toxicity estimate : > 2.000 mg/kg  
Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate : > 2.000 mg/kg  
Method: Calculation method

Skin corrosion/irritation : Extremely corrosive and destructive to tissue.

Serious eye damage/eye irritation : May cause irreversible eye damage.

Respiratory or skin sensitisation : No data available

Further information : No data available

#### Components:

##### **I-(+)-lactic acid**

##### **79-33-4:**

Acute oral toxicity : LD50 Rat: 3.730 mg/kg

LD50 Mouse: 4.875 mg/kg

LD50 Oral Guinea pig: 1.810 mg/kg

Acute inhalation toxicity : LC50 Rat: 7,94 mg/l  
Exposure time: 4 h

Acute dermal toxicity : LD50 Rabbit: > 2.000 mg/kg

##### **Alcohols, C12-14, ethoxylated, sulfates, sodium salts** **68891-38-3:**



## SANET DAILY Q&E 6X325ML WEST

WM 0713601

Order number: 0713601

Version 3.2

Revision Date 09.04.2016

Print Date 18.04.2016

- Acute oral toxicity : LD50 Oral Rat: 4.100 mg/kg  
Method: OECD Test Guideline 401  
GLP: no
- LD50 Oral Rat: 2.000 - 5.000 mg/kg  
Method: OECD Test Guideline 401  
Test substance: see user defined free text
- LD50 Oral Rat: > 5.000 mg/kg  
Method: OECD Test Guideline 401  
Test substance: see user defined free text
- Acute dermal toxicity : LD50 Rat: > 2.000 mg/kg  
Method: OECD Test Guideline 402  
GLP: yes
- Skin corrosion/irritation : Species: Rabbit  
Method: OECD Test Guideline 404
- Serious eye damage/eye irritation : Species: Rabbit  
Method: OECD Test Guideline 405  
Test substance: see user defined free text
- Species: Rabbit  
Method: OECD Test Guideline 405  
Test substance: see user defined free text
- Respiratory or skin sensitisation : Test Method: Maximisation Test (GPMT)  
Species: Guinea pig  
Result: Did not cause sensitisation on laboratory animals.  
Method: OECD Test Guideline 406
- Germ cell mutagenicity
- Genotoxicity in vitro : Result: negative  
Method: OECD Test Guideline 471
- Reproductive toxicity : Species: Rat  
Application Route: Oral  
NOAEL: > 300 mg/kg,  
F1: > 300 mg/kg, Method: OECD Test Guideline 416
- Teratogenicity : Species: Rat  
Application Route: Oral  
>1.000 mg/kg  
> 1.000 mg/kg  
Method: see user defined free text
- Repeated dose toxicity : Rat: NOAEL: > 225 mg/kg



## SANET DAILY Q&E 6X325ML WEST

WM 0713601

Order number: 0713601

Version 3.2

Revision Date 09.04.2016

Print Date 18.04.2016

Application Route: Oral  
Exposure time: 90 Days  
Method: see user defined free text  
Target Organs: Liver

STOT - repeated exposure : Exposure routes: Ingestion  
Target Organs: Liver

### D-Glucopyranose, oligomers, decyl octyl glycosides

#### 68515-73-1:

Acute oral toxicity : LD50 Rat: > 5.000 mg/kg  
Method: OECD Test Guideline 401

Acute dermal toxicity : Rabbit: > 2.000 mg/kg  
Method: OECD Test Guideline 402

Skin corrosion/irritation : Species: Rabbit  
Result: Mild skin irritation  
Method: OECD Test Guideline 404

Serious eye damage/eye irritation : Species: Rabbit  
Result: Irreversible effects on the eye  
Method: OECD Test Guideline 405

Respiratory or skin sensitisation : Species: Guinea pig  
Result: Does not cause skin sensitisation.  
Method: OECD Test Guideline 406

#### Germ cell mutagenicity

Genotoxicity in vitro : Type: Ames test  
Result: negative  
Method: OECD Test Guideline 471

### methanesulphonic acid

#### 75-75-2:

Acute oral toxicity : LD50 Rat: 200 mg/kg

LD50 Rat: 649 mg/kg

Acute inhalation toxicity : LC0 Mouse: > 1,88 mg/l  
Exposure time: 1 h

Acute dermal toxicity : LD50 Rabbit: > 1.000 - 2.000 mg/kg



## SANET DAILY Q&E 6X325ML WEST

WM 0713601

Order number: 0713601

Version 3.2

Revision Date 09.04.2016

Print Date 18.04.2016

### SECTION 12: Ecological information

#### 12.1 Toxicity

##### Components:

##### **I-(+)-lactic acid**

##### **79-33-4:**

- Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 130 mg/l  
Exposure time: 96 h
- LC50 (Fish): 320 mg/l  
Exposure time: 48 h
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 130 mg/l  
Exposure time: 48 h
- EC50 (Daphnia pulex (Water flea)): 240 mg/l  
Exposure time: 48 h
- Toxicity to algae : EC50 (Selenastrum capricornutum): 3.500 mg/l
- ErC50 (Pseudokirchneriella subcapitata (microalgae)): 2.800 mg/l  
Exposure time: 72 h
- Toxicity to bacteria : EC50 : > 100 mg/l  
Exposure time: 3 h

##### **Alcohols, C12-14, ethoxylated, sulfates, sodium salts**

##### **68891-38-3:**

- Toxicity to fish : LC50 (Danio rerio (zebra fish)): 7,1 mg/l  
Exposure time: 96 h  
Test Type: flow-through test  
Method: OECD Test Guideline 203  
GLP: yes
- LC50 (Fish): > 1 - 10 mg/l  
Test Type: semi-static test  
Method: OECD Test Guideline 203
- LC50 (Leuciscus idus (Golden orfe)): 10 - 100 mg/l  
Method: OECD Test Guideline 203
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia pulex (Water flea)): 7,4 mg/l
- EC50 (Daphnia magna (Water flea)): > 1 - 10 mg/l  
Exposure time: 48 h  
Test Type: static test  
Method: OECD Test Guideline 202
- Toxicity to algae : EC50 (Desmodesmus subspicatus (green algae)): 27,7 mg/l  
Exposure time: 72 h  
Test Type: Growth inhibition  
Method: OECD Test Guideline 201



## SANET DAILY Q&E 6X325ML WEST

WM 0713601

Order number: 0713601

Version 3.2

Revision Date 09.04.2016

Print Date 18.04.2016

GLP: yes

EC50 (*Scenedesmus subspicatus*): 10 - 100 mg/l  
Method: OECD Test Guideline 201

EC50 (*Desmodesmus subspicatus* (green algae)): > 10 - 100 mg/l  
Exposure time: 72 h  
Test Type: static test  
Method: OECD Test Guideline 201

NOEC : 0,95 mg/l  
Test Type: Growth inhibition  
Method: OECD Test Guideline 201

Toxicity to bacteria : EC50 (*Pseudomonas putida*): > 10 g/l  
Exposure time: 16 h  
Test Type: Cell multiplication inhibition test  
Method: DIN 38412  
GLP: yes

EC10 (*Pseudomonas putida*): > 10 g/l  
Test Type: Cell multiplication inhibition test  
GLP:

Toxicity to fish (Chronic toxicity) : NOEC: 1,2 mg/l

NOEC: 1 - 10 mg/l  
Species: *Leuciscus idus* (Golden orfe)

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: > 0,1 - 1 mg/l  
Exposure time: 21 d  
Species: *Daphnia magna* (Water flea)  
Method: OECD Test Guideline 211

### D-Glucopyranose, oligomers, decyl octyl glycosides 68515-73-1:

Toxicity to fish : LC50 (*Brachydanio rerio* (zebrafish)): > 100 mg/l  
Method: ISO 7346/2

Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia magna* (Water flea)): > 100 mg/l  
Method: OECD Test Guideline 202

Toxicity to algae : EC50 (*Scenedesmus subspicatus*): > 10 - 100 mg/l  
Method: see user defined free text

Toxicity to bacteria : EC0 (*Pseudomonas putida*): > 100 mg/l  
Method: OECD Test Guideline 209

EC0 (*Pseudomonas putida*): > 100 mg/l  
Method: DIN 38 412 Part 8

Toxicity to fish (Chronic toxicity) : NOEC: > 1 - 10 mg/l  
Species: *Brachydanio rerio*  
Method: OECD Test Guideline 204



## SANET DAILY Q&E 6X325ML WEST

WM 0713601

Order number: 0713601

Version 3.2

Revision Date 09.04.2016

Print Date 18.04.2016

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: > 1 - 10 mg/l  
Species: Daphnia magna (Water flea)  
Method: OECD Test Guideline 202

### **methanesulphonic acid 75-75-2:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 10 - 100 mg/l  
Exposure time: 96 h  
Test Type: static test  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 10 - 100 mg/l  
Exposure time: 48 h  
Test Type: static test  
Method: OECD Test Guideline 202

Toxicity to algae : EC50 (Scenedesmus capricornutum (fresh water algae)): 10 - 100 mg/l  
Exposure time: 72 h  
Test Type: Growth inhibition  
Method: OECD Test Guideline 201

Toxicity to bacteria : EC50 : 10 - 100 mg/l  
Exposure time: 72 h  
Method: see user defined free text  
Remarks: see user defined free text

## 12.2 Persistence and degradability

### **Product:**

Biodegradability : Remarks: The surfactant(s) contained in this preparation complies (comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents.

### **Components:**

#### **I-(+)-lactic acid 79-33-4:**

Biodegradability : Result: rapidly biodegradable

Biochemical Oxygen Demand (BOD) : 450 mg/g  
Incubation time: 5 d  
600 mg/g  
Incubation time: 20 d

Chemical Oxygen Demand (COD) : 900 mg/g

ThOD : 1.067 mg/g

#### **Alcohols, C12-14, ethoxylated, sulfates, sodium salts 68891-38-3:**

Biodegradability : Result: rapidly biodegradable



## SANET DAILY Q&E 6X325ML WEST

WM 0713601

Order number: 0713601

Version 3.2

Revision Date 09.04.2016

Print Date 18.04.2016

Biodegradation: > 70 %  
Exposure time: 28 d  
Method: OECD 301 A

### D-Glucopyranose, oligomers, decyl octyl glycosides

68515-73-1:

Biodegradability : Result: Readily biodegradable

### methanesulphonic acid

75-75-2:

Biodegradability : Result: rapidly biodegradable  
Biodegradation: > 99 %  
Exposure time: 28 d

## 12.3 Bioaccumulative potential

### Components:

#### D-Glucopyranose, oligomers, decyl octyl glycosides

68515-73-1:

Bioaccumulation : Remarks: Does not significantly accumulate in organisms.

#### methanesulphonic acid

75-75-2:

Partition coefficient: n-  
octanol/water : log Pow: -2,38

## 12.4 Mobility in soil

### Components:

#### Alcohols, C12-14, ethoxylated, sulfates, sodium salts

68891-38-3:

Distribution among : Adsorption/Soil  
environmental compartments Medium: Soil  
Koc: 191 Method: see user defined free text

#### D-Glucopyranose, oligomers, decyl octyl glycosides

68515-73-1:

Stability in soil : Remarks: Not expected to adsorb on soil.

#### methanesulphonic acid

75-75-2:

Distribution among : Koc: 1 Remarks: Highly mobile in soils  
environmental compartments

## 12.5 Results of PBT and vPvB assessment

### Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

### Components:



## SANET DAILY Q&E 6X325ML WEST

WM 0713601

Order number: 0713601

Version 3.2

Revision Date 09.04.2016

Print Date 18.04.2016

### Alcohols, C12-14, ethoxylated, sulfates, sodium salts

68891-38-3:

Assessment : This substance is not considered to be very persistent and very bioaccumulating (vPvB).. This substance is not considered to be persistent, bioaccumulating and toxic (PBT)..

### D-Glucopyranose, oligomers, decyl octyl glycosides

68515-73-1:

Assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT).. This substance is not considered to be very persistent and very bioaccumulating (vPvB)..

## 12.6 Other adverse effects

### Product:

Additional ecological information : There is no data available for this product.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Product : Do not dispose of waste into sewer.  
Do not contaminate ponds, waterways or ditches with chemical or used container.  
Offer surplus and non-recyclable solutions to a licensed disposal company.

Do not dispose of waste into sewer.  
Do not contaminate ponds, waterways or ditches with chemical or used container.  
Offer surplus and non-recyclable solutions to a licensed disposal company.

Contaminated packaging : Empty remaining contents.  
Dispose of as unused product.  
Do not re-use empty containers.

Empty remaining contents.  
Dispose of as unused product.  
Do not re-use empty containers.

Waste Code : European Waste Catalogue  
200129  
According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.

## SECTION 14: Transport information

### 14.1 UN number

ADR : 3265  
IMDG : 3265  
IATA : 3265



## SANET DAILY Q&E 6X325ML WEST

WM 0713601

Order number: 0713601

Version 3.2

Revision Date 09.04.2016

Print Date 18.04.2016

### 14.2 Proper shipping name

- ADR** : CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.  
(l-(+)-lactic acid)
- IMDG** : CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.  
(l-(+)-lactic acid)
- IATA** : Corrosive liquid, acidic, organic, n.o.s. Not permitted for transport

### 14.3 Transport hazard class

- ADR** : 8
- IMDG** : 8
- IATA** : 8

### 14.4 Packing group

- ADR**
- Classification Code : C3
- Packaging group : III
- Hazard Identification Number : 80
- Labels : 8
- IMDG**
- Packaging group : III
- Labels : 8
- EmS Number : F-A, S-B
- IATA**
- (Cargo)** : Corrosive liquid, acidic, organic, n.o.s. Not permitted for transport
- Packaging group : III
- Labels : 8

### 14.5 Environmental hazards

- ADR**
- Environmentally hazardous : no
- IMDG**
- Marine pollutant : no
- IATA**
- Environmentally hazardous : no

### 14.6 Special precautions for user

For personal protection see section 8.

### 14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

ZEU\_SEVES3

Not applicable

- TA Luft List (Germany) : Total dust: Not applicable
- : Inorganic substances in powdered form: Not applicable
- : Inorganic substances in vapour or gaseous form: Not applicable



## SANET DAILY Q&E 6X325ML WEST

WM 0713601

Order number: 0713601

Version 3.2

Revision Date 09.04.2016

Print Date 18.04.2016

Volatile organic compounds	: Organic Substances: : portionClass 1: < 0,01 % : Carcinogenic substances: Not applicable : Mutagenic: Not applicable : Toxic to reproduction: Not applicable : Directive 1999/13/EC Volatile organic compounds (VOC) content: 11,01 %, 698,12 g/l  Directive 1999/13/EC Volatile organic compounds (VOC) content: 11,01 %, 114,6 g/l
according to Detergents Regulation EC 648/2004	: 5 - <15% Anionic surfactants, <5% Non-ionic surfactants, Perfumes
Diğer kurallar	: 26 Aralık 2008 tarihli,27092 mükerrer sayılı," T.C. Çevre ve Orman Bakanlığı Tehlikeli Maddeler ve Müstahzarlara İlişkin Güvenlik Bilgi Formlarının Hazırlanması ve Dağıtılması Hakkında Yönetmeliği " ne uygun düzenlenmiştir. 26 Aralık 2008 27092 (mükerrer) sayılı Tehlikeli Maddelerin ve Müstahzarların Sınıflandırılması Ambalajlanması ve Etiketlenmesi Hakkında Yönetmelik hükümlerine göre hazırlanmıştır.

### 15.2 Chemical Safety Assessment

## SECTION 16: Other information

### Full text of H-Statements

H290	May be corrosive to metals.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H335	May cause respiratory irritation.
H412	Harmful to aquatic life with long lasting effects.

### Further information

Classification procedure:	H290	On basis of test data.
	H319	On basis of test data.
	H315	On basis of test data.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.



Werner & Mertz  
Professional

**SANET DAILY Q&E 6X325ML WEST**

**WM 0713601**

**Order number: 0713601**

Version 3.2

Revision Date 09.04.2016

Print Date 18.04.2016

500000004338