

WM 0712884	Order number: 0712884	
Version 8.1	Revision Date 28.06.2018	Print Date 04.02.2019

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name	:	NOWA TANIN 2 X 5 L
Identification number	:	61430

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture	:	Cleaning agent
------------------------------	---	----------------

Restricted to professional users.

1.3 Details of the supplier of the safety data sheet

:	tana Chemie GmbH
	Rheinallee 96
	55120 Mainz
:	+49613196403
:	+4961319642414
:	Produktsicherheit@werner-mertz.com
:	Product development / product safety
	:

1.4 Emergency telephone number

+49(0)6131-19240

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture		
Classification (REGULATION (EC) No 1272/20	08)	
Corrosive to metals, Category 1	H290: May be corrosive to metals.	
Skin corrosion, Category 1A	H314: Causes severe skin burns and eye damage.	
Serious eye damage, Category 1	H318: Causes serious eye damage.	
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.	

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms





Professi

NOWA TANIN 2 X 5 L

WM 0712884	Order number:	0712884	
Version 8.1	Revision Date 2	28.06.2018	Print Date 04.02.2019
Signal word	: Danger		
Hazard statements	: H290 H314 H317	May be corrosive to metals. Causes severe skin burns a May cause an allergic skin r	ind eye damage.
Precautionary statements	: P102 Prevention:	Keep out of reach of childre	n.
	P260 P280	Do not breathe spray. Wear protective gloves/ proprotection/ face protection.	tective clothing/ eye
	Response:		
	P301 + P330 + P33	31 IF SWALLOWED: Rinse mo vomiting.	outh. Do NOT induce
	P303 + P361 + P35	53 IF ON SKIN (or hair): Take (contaminated clothing. Rins	
	P305 + P351 + P33	38 IF IN EYES: Rinse cautious several minutes. Remove co present and easy to do. Cor	ly with water for ontact lenses, if
	P310	Immediately call a POISON physician.	
	Disposal:		
	P501	Dispose of contents/ contair waste disposal plant.	ner to an approved

Hazardous components which must be listed on the label:

potassium hydroxide Reaction product of Maleic anhydride, 2-Ethylhexylamine and Triethanolamine

Safety data sheet available on request.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher. No information available.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature

: Aqueous surfactant solution.

Hazardous components

Chemical name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)
---------------	--	----------------	--------------------------



WM 0712884	Order number: 07128	84	
Version 8.1	Revision Date 28.06.20	18	Print Date 04.02.2019
potassium hydroxide	1310-58-3 215-181-3 01-2119487136-33	Acute Tox. 4; H302 Skin Corr. 1A; H314 Met. Corr. 1; H290 SCL >= 5 % 1A; H314 2 - < 5 % 1B; H314 0,5 - < 2 % 2; H315 0,5 - < 2 % 2; H319	>= 5 - < 10
2-(2-butoxyethoxy)ethanol	112-34-5 203-961-6 01-2119475104-44	Eye Irrit. 2; H319	>= 5 - < 10
sodium p-cumenesulphonate	15763-76-5 239-854-6 01-2119489411-37	Eye Dam. 2; H319	>= 2 - < 5
Reaction product of Maleic anhydride, 2-Ethylhexylamine and Triethanolamine	939-488-3 01-2119980932-27	Skin Corr. 2; H315 Eye Dam. 1; H318 Skin Sens. 1B; H317	>= 2 - < 3

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures		
General advice	: Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.	
If inhaled	: Move to fresh air. If symptoms persist, call a physician.	
In case of skin contact	 Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with difficulty. 	n
In case of eye contact	 Small amounts splashed into eyes can cause irreversible tissue damage and blindness. Protect unharmed eye. Continue rinsing eyes during transport to hospital. 	
If swallowed	 Clean mouth with water and drink afterwards plenty of water. Do NOT induce vomiting. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. Take victim immediately to hospital. 	



WM 0712884	Order number: 0712884	
Version 8.1	Revision Date 28.06.2018	Print Date 04.02.2019
4.2 Most important sympto	oms and effects, both acute and delayed	
Symptoms	: corrosive effects Allergic reactions	
Risks	: No information available.	

4.3 Indication of any immediate medical attention and special treatment needed

Treatment

: For specialist advice physicians should contact the Poisons Information Service.

SECTION 5: Firefighting measures

5.1 Extinguishing media

5.1 Extinguishing media		
Suitable extinguishing media	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
5.2 Special hazards arising from the	sub	ostance or mixture
Specific hazards during firefighting	:	Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combustion products	:	No hazardous combustion products are known
5.3 Advice for firefighters		
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus.
Further information	:	Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	: Use personal protective equipment. Ensure adequate ventilation. Evacuate personnel to safe areas.
----------------------	---

6.2 Environmental precautions

Environmental precautions : Do not flush into surface water or sanitary sewer system.

6.3 Methods and materials for containment and cleaning up



WM 0712884	Order number: 0712884	
Version 8.1	Revision Date 28.06.2018	Print Date 04.02.2019
Methods for cleaning up	: Neutralise with acid. Soak up with inert absorbent material (e binder, universal binder, sawdust). Keep in suitable, closed containers for d	

6.4 Reference to other sections

For personal protection see section 8., Treat recovered material as described in the section "Disposal considerations"., Refer to section 15 for specific national regulation.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	:	Avoid formation of aerosol. Avoid contact with skin and eyes. For personal protection see section 8. Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used. Smoking, eating and drinking should be prohibited in the application area. To avoid spills during handling keep bottle on a metal tray.
Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.
7.2 Conditions for safe storage, inclu	udir	ng any incompatibilities
Requirements for storage areas and containers	:	Store in original container. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store at room temperature in the original container.
Other data	:	No decomposition if stored and applied as directed.

7.3 Specific end use(s)

Specific use(s)

: Cleaning agent

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Components	CA	AS-No.	Value type (Form of exposure)	Control parameters	Update	Basis
2-(2- butoxyethoxy) ethanol	112-34-5		TWA	10 ppm 67,5 mg/m3	2009-12-19	2006/15/EC
Further information	:	Indicative				



WM 0712884

Order number: 0712884

Version	8.1
---------	-----

Revision Date 28.06.2018	

Print Date 04.02.2019

2-(2- butoxyethoxy) ethanol	11	2-34-5	STEL	15 ppm 101,2 mg/m3	2009-12-19	2006/15/EC
Further information	:	Indicative				

DNEL

potassium hydroxide 1310-58-3:	:	End Use: Workers Exposure routes: Inhalation Potential health effects: Long-term local effects Value: 1 mg/m3
		End Use: Consumers Exposure routes: Inhalation Potential health effects: Long-term local effects Value: 1 mg/m3
2-(2-butoxyethoxy)ethanol 112-34-5:	:	End Use: Workers Exposure routes: Inhalation Potential health effects: Acute local effects Value: 101,2 mg/m3
		End Use: Workers Exposure routes: Inhalation Potential health effects: Long-term systemic effects Value: 67,5 mg/m3
		End Use: Workers Exposure routes: Skin contact Potential health effects: Long-term systemic effects Value: 20 mg/kg
		End Use: Workers Exposure routes: Inhalation Potential health effects: Acute local effects Value: 67,5 mg/m3
		End Use: Consumers Exposure routes: Inhalation Potential health effects: Acute local effects Value: 50,6 mg/m3
		End Use: Consumers Exposure routes: Ingestion Potential health effects: Long-term systemic effects Value: 1,25 mg/kg
		End Use: Consumers Exposure routes: Inhalation Potential health effects: Long-term systemic effects Value: 34 mg/m3



WM 0712884	Order number: 0712884	
Version 8.1	Revision Date 28.06.2018	Print Date 04.02.2019
	End Use: Consumers Exposure routes: Skin contact Potential health effects: Long-term systemic ef	fects
	Value: 10 mg/kg	
	End Use: Consumers Exposure routes: Inhalation Potential health effects: Long-term local effects Value: 34 mg/m3	3
	End Use: Workers Exposure routes: Inhalation Potential health effects: Acute local effects Value: 14 ppm	
	End Use: Workers Exposure routes: Inhalation Potential health effects: Long-term systemic ef Value: 10 ppm	fects
	End Use: Workers Exposure routes: Inhalation Potential health effects: Long-term local effects Value: 10 ppm	3
	End Use: Consumers Exposure routes: Inhalation Potential health effects: Acute local effects Value: 7,5 mg/m3	
	End Use: Consumers Exposure routes: Inhalation Potential health effects: Long-term systemic ef Value: 5 mg/kg	fects
	End Use: Consumers Exposure routes: Ingestion Potential health effects: Long-term systemic ef Value: 1,3 mg/kg	fects
	End Use: Consumers Exposure routes: Inhalation Potential health effects: Long-term local effects Value: 5 mg/m3	5
sodium p-cumenesulphonate 15763-76-5:	 End Use: Workers Exposure routes: Skin contact Potential health effects: Long-term systemic ef Value: 7,6 mg/kg 	fects
	End Use: Workers Exposure routes: Inhalation Potential health effects: Long-term systemic ef Value: 53,6 mg/m3	fects



WM 0712884	Order number: 0712884	
Version 8.1	Revision Date 28.06.2018	Print Date 04.02.2019
	End Use: Consumers Exposure routes: Skin contact Potential health effects: Long-term systemic e Value: 3,8 mg/kg	effects
	End Use: Consumers Exposure routes: Inhalation Potential health effects: Long-term systemic e Value: 13,2 mg/m3	offects
	End Use: Consumers Exposure routes: Ingestion Potential health effects: Long-term systemic e Value: 3,8 mg/kg	offects
Reaction product of Maleic anhydride, 2-Ethylhexylamine and Triethanolamine :	: End Use: Workers Exposure routes: Inhalation Potential health effects: Long-term systemic e Value: 43,21 mg/m3	affects
	End Use: Workers Exposure routes: Skin contact Potential health effects: Long-term systemic e Value: 24,5 mg/kg	offects
	End Use: Consumers Exposure routes: Inhalation Potential health effects: Long-term systemic e Value: 12,78 mg/m3	offects
	End Use: Consumers Exposure routes: Skin contact Potential health effects: Long-term systemic e Value: 14,7 mg/kg	offects
	End Use: Consumers Exposure routes: Ingestion Potential health effects: Long-term systemic e Value: 14,7 mg/kg	effects
PNEC		
2-(2-butoxyethoxy)ethanol 112-34-5:	: Fresh water Value: 1,1 mg/l	
	Marine water Value: 0,11 mg/l	
	Fresh water sediment Value: 4,4 mg/kg	
	Marine sediment Value: 0,44 mg/kg	



Order number: 0712884	
Revision Date 28.06.2018	Print Date 04.02.201
Soil Value: 0,32 mg/kg	
STP Value: 200 mg/l	
Fresh water sediment Value: 4 mg/l	
Marine sediment Value: 0,4 mg/l	
Soil Value: 0,4 mg/l	
: Fresh water Value: 0,23 mg/l	
STP Value: 100 mg/l	
intermittent release Value: 2,3 mg/l	
: Fresh water Value: 0,1 mg/l	
Marine water Value: 0,01 mg/l	
intermittent release Value: 1 mg/l	
STP Value: 100 mg/l	
Fresh water sediment Value: 4,85 mg/kg	
Marine sediment Value: 0,485 mg/kg	
Soil Value: 0,909 mg/kg	
: Tightly fitting safety goggles	
	Revision Date 28.06.2018Soil Value: 0,32 mg/kgSTP Value: 200 mg/lFresh water sediment Value: 4 mg/lMarine sediment Value: 0,4 mg/lSoil Value: 0,4 mg/lSoil Value: 0,4 mg/l*Fresh water Value: 0,23 mg/lSTP Value: 100 mg/l intermittent release Value: 0,1 mg/l*Marine water Value: 0,01 mg/lintermittent release Value: 1 mg/lSTP Value: 100 mg/l*Fresh water Value: 0,01 mg/l*STP Value: 100 mg/lMarine water Value: 1 mg/lSTP Value: 100 mg/lFresh water sediment Value: 4,85 mg/kgMarine sediment Value: 0,485 mg/kg



NOWA TANIN 2 X 5 L WM 0712884 Order number: 0712884 Version 8.1 Revision Date 28.06.2018 Print Date 04.02.2019 Material : Chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN 374. Remarks : Take note of the information given by the producer concerning permeability and break through times, and of special workplace conditions (mechanical strain, duration of contact). Skin and body protection : Choose body protection according to the amount and concentration of the dangerous substance at the work place. Remove and wash contaminated clothing before re-use. : Not required; except in case of aerosol formation. Respiratory protection Recommended Filter type: ABEK-P3-filter

Environmental exposure controls

General advice	: Do not flush into surface water or sanitary sewer system.
----------------	---

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	: liquid
Colour	: colourless, light brown
Odour	: characteristic
Odour Threshold	: No data available
рН	: ca. 13,7
Melting point/range	: No data available
Boiling point/boiling range	: No data available
Flash point	: Not applicable
Evaporation rate	: No data available
Flammability (solid, gas)	: No data available
Burning rate	: No data available
Lower explosion limit	: No data available
Upper explosion limit	: No data available
Vapour pressure	: No data available
Relative vapour density	: No data available
Relative density	: No data available
Density	: ca. 1,081 g/cm3



WM 0712884	Order number: 0712884	
Version 8.1	Revision Date 28.06.2018	Print Date 04.02.2019
Water solubility	: soluble	
Solubility in other solvents	: No data available	
Partition coefficient: n- octanol/water	: No data available	
Ignition temperature	: No data available	
Thermal decomposition	: No data available	
Viscosity, dynamic	: No data available	
Viscosity, kinematic	: No data available	
Explosive properties	: No data available	
Oxidizing properties	: No data available	

9.2 Other information

none

SECTION 10: Stability and reactivity

10.1 Reactivity

Stable under recommended storage conditions., No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions	: Stable under recommended storage conditions., No decomposition if used as directed.
10.4 Conditions to avoid	
Conditions to avoid	: No data available
10.5 Incompatible materials	
Materials to avoid	: No data available
10.6 Hazardous decomposition produ	cts
Hazardous decomposition	: No hazardous decomposition products are known.
products Other information	: No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Product

Acute oral toxicity

: Acute toxicity estimate : > 2.000 mg/kg Method: Calculation method



WM 0712884		Order number: 0712884	
Version 8.1		Revision Date 28.06.2018	Print Date 04.02.2019
Skin corrosion/irritation	:	Extremely corrosive and destructive to tissue.	
Serious eye damage/eye irritation	:	May cause irreversible eye damage.	
Respiratory or skin sensitisation	:	Causes sensitisation.	
Further information	:	No data available	
<u>Components:</u> potassium hydroxide 1310-58-3:			
Acute oral toxicity	:	LD50 Rat: 273 mg/kg	
		Acute toxicity estimate : 500 mg/kg Method: Converted acute toxicity point estimate	
		LD50 Oral Rat, male: 333 mg/kg Method: OECD Test Guideline 425	
Skin corrosion/irritation	:	Result: Corrosive	
Serious eye damage/eye irritation	:	Species: Rabbit Result: Corrosive Method: OECD Test Guideline 405	
Respiratory or skin sensitisation	:	Species: Guinea pig Result: Did not cause sensitisation on laboratory	animals.
Germ cell mutagenicity			
Genotoxicity in vitro	:	Type: Ames test Test species: Salmonella typhimurium Result: negative	
2-(2-butoxyethoxy)ethanol			
112-34-5: Acute oral toxicity	:	LD50 Rat: 3.384 mg/kg	
		LD50 Rat: > 2.000 mg/kg	
Acute dermal toxicity	:	LD50 Dermal Rabbit: 2.700 mg/kg	
		LD50 Rabbit: > 2.000 mg/kg	



WM 0712884		Order number: 0712884	
Version 8.1		Revision Date 28.06.2018	Print Date 04.02.2019
sodium p-cumenesulphonate 15763-76-5: Acute oral toxicity	:	LD50 Oral Rat: > 2.000 mg/kg Method: OECD Test Guideline 401	
Acute inhalation toxicity	:	LC50 Rat: 5 mg/l Exposure time: 232 min	
Acute dermal toxicity	:	LD50 Dermal Rabbit: > 2.000 mg/kg	
Skin corrosion/irritation	:	Species: Rabbit Result: Mild skin irritation Method: OECD Test Guideline 404 Based on available data, the classification	on criteria are not met.
Serious eye damage/eye irritation	:	Species: Rabbit Result: Moderate eye irritation Method: OECD Test Guideline 405 Causes serious eye irritation.	
Respiratory or skin sensitisation	:	Test Method: Buehler Test Species: Guinea pig Result: Did not cause sensitisation on la Method: OECD Test Guideline 406	aboratory animals.
Germ cell mutagenicity			
Genotoxicity in vitro	:	Result: negative	
Genotoxicity in vivo	:	Result: negative	
Carcinogenicity - Assessment	:	Animal testing did not show any carcino	genic effects.
Teratogenicity	:	Species: Rat Application Route: Oral 3.000 mg/kg 3.000 mg/kg	
Repeated dose toxicity	:	Rat: NOAEL: 763 mg/kg	
		Application Route: Oral Target Organs: Cardio-vascular system Mouse: NOAEL: 440 mg/kg LOAEL: 1.300 mg/kg Application Route: Dermal Method: OECD Test Guideline 411 Target Organs: Skin	



VM 0712884	Order number: 0712884	
/ersion 8.1	Revision Date 28.06.2018	Print Date 04.02.2019
Position product of Malai	a anhydrida. 2 Ethydhayydamina and Triathanal	amina
:	c anhydride, 2-Ethylhexylamine and Triethanol	amme
: Acute oral toxicity	: LD50 : > 2.000 mg/kg Method: Calculation method	amine

SECTION 12: Ecological information

12.1 Toxicity **Components:** potassium hydroxide . 1310-58-3: Toxicity to fish (Pimephales promelas (fathead minnow)): 880 mg/l Exposure time: 96 h Test Type: static test LC50 (Gambusia affinis (Mosquito fish)): 80 mg/l Exposure time: 96 h LC50 (Poecilia reticulata (guppy)): 165 mg/l Exposure time: 24 h Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 660 mg/l aquatic invertebrates Exposure time: 48 h Test Type: static test Toxicity to algae : EC50 : 1.337 mg/l Exposure time: 120 h Toxicity to bacteria : EC50 (Photobacterium phosphoreum): 22 mg/l Exposure time: 15 min Toxicity to soil dwelling : LC50: 850 mg/kg organisms Exposure time: 90 d 2-(2-butoxyethoxy)ethanol 112-34-5: Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 1.300 mg/l Exposure time: 96 h LC50 (Leuciscus idus (Golden orfe)): > 100 mg/l Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 2.850 mg/l aquatic invertebrates Exposure time: 24 h Method: DIN 38412 EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h



NOWA TANIN 2 X 5 L			
WM 0712884		Order number: 0712884	
Version 8.1		Revision Date 28.06.2018	Print Date 04.02.2019
Toxicity to algae	:	IC50 (Desmodesmus subspicatus (green Exposure time: 96 h Method: OECD Test Guideline 201	algae)): > 100 mg/l
Toxicity to bacteria	:	EC10 (Bacteria): 1.170 mg/l Exposure time: 16 h	
sodium p-cumenesulphonate 15763-76-5:			
Toxicity to fish	:	LC50 (Cyprinus carpio (Carp)): > 100 mg/ Exposure time: 96 h Method: OECD Test Guideline 203	1
		LC50 (Oncorhynchus mykiss (rainbow tro Exposure time: 96 h Test Type: static test	ut)): > 100 mg/l
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 10 Exposure time: 48 h Test Type: static test Method: OECD Test Guideline 202	00 mg/l
Toxicity to algae	:	EC50 (Desmodesmus subspicatus (green Exposure time: 72 h Method: OECD Test Guideline 201	algae)): > 100 mg/l
		EC50 (Pseudokirchneriella subcapitata (g Exposure time: 96 h Test Type: static test	reen algae)): > 100 mg/l
Toxicity to bacteria	:	EC10 (activated sludge): > 1.000 mg/l Exposure time: 3 h Test Type: Respiration inhibition Method: OECD Test Guideline 209	
Reaction product of Maleic anh	nydr	ide, 2-Ethylhexylamine and Triethanolar	nine
Toxicity to fish	:	(Leuciscus idus (Golden orfe)): > 100 mg Exposure time: 96 h	/1
Toxicity to daphnia and other aquatic invertebrates	:	(Daphnia magna (Water flea)): > 100 mg, Exposure time: 48 h	/1
Toxicity to algae	:	(Pseudokirchneriella subcapitata (green a Exposure time: 72 h	algae)): > 100 mg/l
Toxicity to bacteria	:	EC10 (Pseudomonas putida): > 1.000 mg Exposure time: 16 h	/I
12.2 Persistence and degradability			
Product:			
Biodegradability	:	Remarks: The surfactant(s) contained in t	his preparation complies

15 / 20



OWA TANIN 2 X 5 L		
M 0712884	Order number: 0712884	
ersion 8.1	Revision Date 28.06.2018	Print Date 04.02.201
	(comply) with the biodegradability criteria (EC) No. 648/2004 on detergents.	a as laid down in Regulation
<u>Components:</u> 2-(2-butoxyethoxy)ethanol 112-34-5:		
Biodegradability	: Result: Readily biodegradable. Biodegradation: 76 % Exposure time: 28 d Method: OECD 301 D	
	Result: rapidly biodegradable Biodegradation: 90 - 100 % Exposure time: 8 d Method: OECD 302 B	
	Result: rapidly biodegradable Biodegradation: 90 - 100 % Exposure time: 14 d Method: OECD 301 E	
sodium p-cumenesulphonate 15763-76-5:		
Biodegradability	 Test Type: aerobic Result: Readily biodegradable. Biodegradation: > 60 % Exposure time: 28 d Method: OECD 301 B 	
Reaction product of Maleic anl	nydride, 2-Ethylhexylamine and Triethanola	amine
Biodegradability	: Biodegradation: > 70 % Exposure time: 28 d Method: OECD 301 A	
.3 Bioaccumulative potential		
<u>Components:</u> potassium hydroxide 1310-58-3: Bioaccumulation	: Remarks: Bioaccumulation is unlikely.	
2-(2-butoxyethoxy)ethanol 112-34-5: Bioaccumulation	· Disconcentration factor (DCC): 2	
Partition coefficient: n-	Bioconcentration factor (BCF): 2log Pow: 0,56	
octanol/water		
sodium p-cumenesulphonate 15763-76-5: Bioaccumulation	: Remarks: Bioaccumulation is unlikely.	



NOWA TANIN 2 X 5 L		
WM 0712884	Order number: 0712884	
Version 8.1	Revision Date 28.06.2018	Print Date 04.02.2019
12.4 Mobility in soil		
Components:		
2-(2-butoxyethoxy)ethanol		
112-34-5: Distribution among	: Koc: ca. 50Remarks: Highly mobile in soil:	s
environmental compartments		•
sodium p-cumenesulphonate		
15763-76-5: Stability in soil	: Remarks: Not expected to adsorb on soil.	
Stability In Soli	. Remains. Not expected to adsorb on soil.	
2.5 Results of PBT and vPvB asses	sment	
Product:		
Assessment	: This substance/mixture contains no compo- either persistent, bioaccumulative and toxi and very bioaccumulative (vPvB) at levels	ic (PBT), or very persistent
Components:		
potassium hydroxide		
1310-58-3: Assessment	: This substance is not considered to be ver bioaccumulating (vPvB) This substance i persistent, bioaccumulating and toxic (PB	is not considered to be
12.6 Other adverse effects		
Product:		
	: There is no data available for this product.	
SECTION 13: Disposal considera	tions	
13.1 Waste treatment methods		
Product	: Do not dispose of waste into sewer.	
	Do not contaminate ponds, waterways or o	ditches with chemical or
	used container. Offer surplus and non-recyclable solutions company.	s to a licensed disposal
Contaminated packaging	: Empty remaining contents. Dispose of as unused product. Do not re-use empty containers.	
Waste Code	European Waste Catalogue	
	200129 According to the European Waste Catalog product specific, but application specific. V assigned by the user, preferably in discuss disposal authorities.	Vaste codes should be



WM 0712884	Order number: 0712884	
Version 8.1	Revision Date 28.06.2018	Print Date 04.02.2019
SECTION 14: Transport information	on	
14.1 UN number ADR IMDG IATA	: 3267 : 3267 : 3267	
14.2 Proper shipping name		
ADR	: CORROSIVE LIQUID, BASIC, ORGANI (potassium hydroxide)	IC, N.O.S.
IMDG	: CORROSIVE LIQUID, BASIC, ORGANI (potassium hydroxide)	IC, N.O.S.
ΙΑΤΑ	: Corrosive liquid, basic, organic, n.o.s. N	ot permitted for transport
14.3 Transport hazard class ADR IMDG IATA	: 8 : 8 : 8	
14.4 Packing group		
ADR Classification Code Packaging group Hazard Identification Number Labels Tunnel restriction code IMDG	: C7 : III : 80 : 8 : (E)	
Packaging group Labels EmS Number IATA	: III : 8 : F-A, S-B	
(Cargo) Packaging group Labels	: Corrosive liquid, basic, organic, n.o.s. N : III : 8	ot permitted for transport
14.5 Environmental hazards ADR		
Environmentally hazardous	: no	
IMDG		
Marine pollutant	: no	
Environmentally hazardous	: no	

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

For personal protection see section 8.



WM 0712884	Order number: 0712884	
Version 8.1	Revision Date 28.06.2018	Print Date 04.02.2019
	o Annex II of MARPOL 73/78 and the IBC Co	
SECTION 15: Regulatory inform	nation	
15.1 Safety, health and environme	ntal regulations/legislation specific for the s	substance or mixture
Regulation (EC) No 649/2012 c the Council concerning the exp chemicals		cable
Seveso III: Directive 2012/18/E of the European Parliament and the Council on the control of major-accident hazards involvir dangerous substances. TA Luft List (Germany)	d of	ous form: Not applicable
Volatile organic compounds (VOC) content	: Percent volatile: 5 % 476,42 g/l VOC content excluding water	
Volatile organic compounds (VOC) content	: Percent volatile: 5 % 54,05 g/l VOC content valid only for coating mate	erials used on wood surfaces
according to Detergents Regulation EC 648/2004	: <5% Anionic surfactants, Non-ionic surfactants	actants
GISBAU (D)	: GG 80	

15.2 Chemical safety assessment

There is no data available for this product.

SECTION 16: Other information

Full text of H-Statements

H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.



Print Date 04.02.2019

NOWA TANIN 2 X 5 L

WM 0712884

Order number: 0712884

Version 8.1

Revision Date 28.06.2018

H319

Causes serious eye irritation.

Further information

Classification procedure:	H290 H314 H318 H317	Calculation method On basis of test data. On basis of test data. Calculation method
	H317	Calculation method

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS -Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL -International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC -No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT -Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

50000000861