



## SANET BR 75 10x1 I

WM 0712920

Order number: 0712920

Version 5.1

Revision Date 28.06.2018

Print Date 02.11.2018

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name : SANET BR 75 10x1 I  
Identification number : 61570

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Cleaning agent  
Restricted to professional users.

#### 1.3 Details of the supplier of the safety data sheet

Company : tana Chemie GmbH  
Rheinallee 96  
55120 Mainz  
Telephone : +49613196403  
Telefax : +4961319642414  
E-mail address : Produktsicherheit@werner-mertz.com  
Responsible/issuing person  
Contact person : Product development / product safety

#### 1.4 Emergency telephone number

+49(0)6131-19240

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

##### Classification (REGULATION (EC) No 1272/2008)

Eye irritation, Category 2 H319: Causes serious eye irritation.

Skin irritation, Category 2 H315: Causes skin irritation.

Corrosive to metals, Category 1 H290: May be corrosive to metals.

#### 2.2 Label elements

##### Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal word : Warning

Hazard statements : H315 Causes skin irritation.



## SANET BR 75 10x1 I

WM 0712920

Order number: 0712920

Version 5.1

Revision Date 28.06.2018

Print Date 02.11.2018

Precautionary statements	H319 H290  P102 <b>Prevention:</b> P260 P264 P280  <b>Response:</b> P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  P337 + P313  <b>Disposal:</b> P501	Causes serious eye irritation. May be corrosive to metals.  Keep out of reach of children.  Do not breathe spray. Wash hands thoroughly after handling. Wear protective gloves/ eye protection/ face protection.  If eye irritation persists: Get medical advice/ attention.  Dispose of contents/ container to an approved waste disposal plant.
--------------------------	--	--

Safety data sheet available on request.

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.  
No information available.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

Chemical nature : Aqueous surfactant solution.

#### Hazardous components

Chemical name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)
Phosphoric acid	7664-38-2 231-633-2 01-2119485924-24	Skin Corr. 1B; H314 Met. Corr. 1; H290  SCL >= 25 % 1B; H314 10 - < 25 % 2; H315 10 - < 25 % 2; H319	>= 20 - < 25
Alcohols, C13-15-branched and linear, ethoxylated (6 EO)	157627-86-6	Acute Tox. 4; H302 Eye Dam. 1; H318 Aquatic Chronic 3; H412  SCL > 10 % 1; H318	>= 3 - < 5



**SANET BR 75 10x1 I**

**WM 0712920**

**Order number: 0712920**

Version 5.1

Revision Date 28.06.2018

Print Date 02.11.2018

Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts	68411-30-3 270-115-0 01-2119489428-22	Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Dam. 1; H318 Aquatic Chronic 3; H412	>= 2 - < 2,5
--	---	---	--------------

For explanation of abbreviations see section 16.

**SECTION 4: First aid measures**

**4.1 Description of first aid measures**

- General advice : Move out of dangerous area.  
Consult a physician.  
Show this safety data sheet to the doctor in attendance.
- If inhaled : Move to fresh air.  
If symptoms persist, call a physician.
- In case of skin contact : Take off contaminated clothing and shoes immediately.  
Wash off with soap and plenty of water.  
Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with difficulty.
- In case of eye contact : Small amounts splashed into eyes can cause irreversible tissue damage and blindness.  
Protect unharmed eye.  
Continue rinsing eyes during transport to hospital.
- If swallowed : Clean mouth with water and drink afterwards plenty of water.  
Do NOT induce vomiting.  
Do not give milk or alcoholic beverages.  
Never give anything by mouth to an unconscious person.  
Take victim immediately to hospital.

**4.2 Most important symptoms and effects, both acute and delayed**

- Symptoms : corrosive effects  
Irritation
- Risks : No information available.

**4.3 Indication of any immediate medical attention and special treatment needed**

- Treatment : For specialist advice physicians should contact the Poisons Information Service.



## SANET BR 75 10x1 I

WM 0712920

Order number: 0712920

Version 5.1

Revision Date 28.06.2018

Print Date 02.11.2018

### SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

#### 5.2 Special hazards arising from the substance or mixture

Specific hazards during firefighting : No information available.

Hazardous combustion products : No hazardous combustion products are known

#### 5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.

Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.  
Ensure adequate ventilation.  
Evacuate personnel to safe areas.

#### 6.2 Environmental precautions

Environmental precautions : Do not flush into surface water or sanitary sewer system.

#### 6.3 Methods and materials for containment and cleaning up

Methods for cleaning up : Neutralize with chalk, alkali solution or ammonia.  
Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).  
Keep in suitable, closed containers for disposal.

#### 6.4 Reference to other sections

For personal protection see section 8., Treat recovered material as described in the section "Disposal considerations"., Refer to section 15 for specific national regulation.

### SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

Advice on safe handling : Avoid formation of aerosol. Avoid contact with skin and eyes. For



**SANET BR 75 10x1 I**

**WM 0712920**

**Order number: 0712920**

Version 5.1

Revision Date 28.06.2018

Print Date 02.11.2018

personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. To avoid spills during handling keep bottle on a metal tray. Dispose of rinse water in accordance with local and national regulations.

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

**7.2 Conditions for safe storage, including any incompatibilities**

Requirements for storage areas and containers : Store in original container. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store at room temperature in the original container.

Other data : No decomposition if stored and applied as directed.

**7.3 Specific end use(s)**

Specific use(s) : Cleaning agent

**SECTION 8: Exposure controls/personal protection**

**8.1 Control parameters**

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Update	Basis
Phosphoric acid	7664-38-2	TWA	1 mg/m3	2009-12-19	2000/39/EC
Further information	:	Indicative			
Phosphoric acid	7664-38-2	STEL	2 mg/m3	2009-12-19	2000/39/EC
Further information	:	Indicative			

**DNEL**

**Phosphoric acid 7664-38-2:** : End Use: Workers  
 Exposure routes: Inhalation  
 Potential health effects: Long-term local effects  
 Value: 1 mg/m3

End Use: Consumers  
 Exposure routes: Inhalation



**SANET BR 75 10x1 I**

WM 0712920

Order number: 0712920

Version 5.1

Revision Date 28.06.2018

Print Date 02.11.2018

Potential health effects: Long-term local effects  
Value: 0,36 mg/m<sup>3</sup>

End Use: Workers  
Exposure routes: Inhalation  
Potential health effects: Acute local effects  
Value: 2 mg/m<sup>3</sup>

End Use: Workers  
Exposure routes: Inhalation  
Potential health effects: Long-term systemic effects  
Value: 10,7 mg/m<sup>3</sup>

End Use: Consumers  
Exposure routes: Inhalation  
Potential health effects: Long-term systemic effects  
Value: 4,57 mg/m<sup>3</sup>

End Use: Consumers  
Exposure routes: Skin contact  
Potential health effects: Long-term systemic effects  
Value: 0,1 mg/kg

**Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts 68411-30-3:** End Use: Workers  
Exposure routes: Skin contact  
Potential health effects: Long-term systemic effects  
Value: 170 mg/kg

End Use: Workers  
Exposure routes: Inhalation  
Potential health effects: Long-term systemic effects  
Value: 12 mg/m<sup>3</sup>

End Use: Workers  
Exposure routes: Inhalation  
Potential health effects: Long-term local effects  
Value: 12 mg/m<sup>3</sup>

End Use: Consumers  
Exposure routes: Skin contact  
Potential health effects: Long-term systemic effects  
Value: 85 mg/kg

End Use: Consumers  
Exposure routes: Inhalation  
Potential health effects: Long-term systemic effects  
Value: 3 mg/m<sup>3</sup>

End Use: Consumers  
Exposure routes: Ingestion  
Potential health effects: Long-term systemic effects  
Value: 0,85 mg/kg

End Use: Consumers  
Exposure routes: Inhalation



## SANET BR 75 10x1 I

WM 0712920

Order number: 0712920

Version 5.1

Revision Date 28.06.2018

Print Date 02.11.2018

Potential health effects: Long-term local effects  
Value: 3 mg/m<sup>3</sup>

End Use: Workers  
Exposure routes: Dermal  
Potential health effects: Chronic effects  
Value: 85 mg/kg

End Use: Workers  
Exposure routes: Inhalation  
Potential health effects: Chronic effects  
Value: 6 mg/m<sup>3</sup>

End Use: Consumers  
Exposure routes: Dermal  
Potential health effects: Chronic effects  
Value: 42,5 mg/kg

End Use: Consumers  
Exposure routes: Inhalation  
Potential health effects: Chronic effects  
Value: 1,5 mg/m<sup>3</sup>

End Use: Consumers  
Exposure routes: Oral  
Potential health effects: Chronic effects  
Value: 0,425 mg/kg

### PNEC

**Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts** : Fresh water  
68411-30-3: Value: 0,268 mg/l

Marine water  
Value: 0,0268 mg/l

Fresh water sediment  
Value: 8,1 mg/kg

Marine sediment  
Value: 8,1 mg/kg

Soil  
Value: 35 mg/kg

intermittent release  
Value: 0,0167 mg/l

STP  
Value: 3,43 mg/l

## 8.2 Exposure controls

### Personal protective equipment



## SANET BR 75 10x1 I

WM 0712920

Order number: 0712920

Version 5.1

Revision Date 28.06.2018

Print Date 02.11.2018

- Eye protection : If splashes are likely to occur, wear:  
Tightly fitting safety goggles
- Hand protection
- Material : For prolonged or repeated contact use protective gloves.  
Chemical resistant gloves made of butyl rubber or nitrile rubber  
category III according to EN 374-1: 2003 (0,4 mm).
- Remarks : Take note of the information given by the producer concerning  
permeability and break through times, and of special workplace  
conditions (mechanical strain, duration of contact).
- Skin and body protection : Choose body protection according to the amount and concentration  
of the dangerous substance at the work place.  
not required under normal use
- Respiratory protection : Not required; except in case of aerosol formation.  
Recommended Filter type:  
ABEK-P3-filter
- Environmental exposure controls
- General advice : Do not flush into surface water or sanitary sewer system.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

- Appearance : liquid
- Colour : blue green
- Odour : characteristic
- Odour Threshold : No data available
- pH : ca. 0,5
- Melting point/range : No data available
- Boiling point/boiling range : No data available
- Flash point : Not applicable
- Evaporation rate : No data available
- Flammability (solid, gas) : No data available
- Burning rate : No data available
- Lower explosion limit : No data available
- Upper explosion limit : No data available
- Vapour pressure : No data available





## SANET BR 75 10x1 I

WM 0712920

Order number: 0712920

Version 5.1

Revision Date 28.06.2018

Print Date 02.11.2018

Relative vapour density	: No data available
Relative density	: No data available
Density	: ca. 1,153 g/cm <sup>3</sup>
Water solubility	: soluble
Solubility in other solvents	: No data available
Partition coefficient: n-octanol/water	: No data available
Ignition temperature	: No data available
Thermal decomposition	: No data available
Viscosity, dynamic	: No data available
Viscosity, kinematic	: No data available
acid reserve	: 9,8 g/100g
Flow time	: >= 200 s Cross section: 2 mm
Explosive properties	: No data available
Oxidizing properties	: No data available

### 9.2 Other information

none

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

Stable under recommended storage conditions., No dangerous reaction known under conditions of normal use.

### 10.2 Chemical stability

No decomposition if stored and applied as directed.

### 10.3 Possibility of hazardous reactions

Hazardous reactions : Stable under recommended storage conditions., No decomposition if used as directed.

### 10.4 Conditions to avoid

Conditions to avoid : No data available

### 10.5 Incompatible materials

Materials to avoid : No data available

### 10.6 Hazardous decomposition products

Hazardous decomposition : No hazardous decomposition products are known.



## SANET BR 75 10x1 I

WM 0712920

Order number: 0712920

Version 5.1

Revision Date 28.06.2018

Print Date 02.11.2018

products  
Other information : No hazardous decomposition products are known.

### SECTION 11: Toxicological information

#### 11.1 Information on toxicological effects

##### Product

Acute oral toxicity : Acute toxicity estimate : > 2.000 mg/kg  
Method: Calculation method

Skin corrosion/irritation : Extremely corrosive and destructive to tissue.

Serious eye damage/eye irritation : May cause irreversible eye damage.

Respiratory or skin sensitisation : No data available

Further information : No data available

##### Components:

##### **Phosphoric acid 7664-38-2:**

Acute oral toxicity : LD50 Oral Rat: 1.530 mg/kg  
LD50 Oral Rat: 2.600 mg/kg

Acute inhalation toxicity : LC50 Rat: 0,21 mg/l  
Exposure time: 4 h  
LC50 Rat: 850 mg/l  
Exposure time: 2 h

Acute dermal toxicity : LD50 Rabbit: 2.740 mg/kg

Skin corrosion/irritation : Species: Rabbit  
Exposure time: 24 h  
Result: Corrosive

Serious eye damage/eye irritation : Species: Rabbit  
Result: Corrosive

Repeated dose toxicity : Rat: NOAEL: 250 mg/kg  
Application Route: Oral  
Method: OECD 422



## SANET BR 75 10x1 I

WM 0712920

Order number: 0712920

Version 5.1

Revision Date 28.06.2018

Print Date 02.11.2018

### Alcohols, C13-15-branched and linear, ethoxylated (6 EO)

157627-86-6:

Acute oral toxicity : LD50 Oral Rat: > 2.000 mg/kg

LD50 Oral Rat: 300 - 5.000 mg/kg

### Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts

68411-30-3:

Acute oral toxicity : LD50 Oral Rat: > 2.000 mg/kg  
Method: OECD Test Guideline 401  
Test substance: see user defined free text  
Target Organs: Gastrointestinal tract  
Symptoms: Diarrhoea, Drowsiness, Breathing difficulties

LD50 Rat, male and female: 1.080 mg/kg  
Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 Dermal Rat: > 2.000 mg/kg  
Method: OECD Test Guideline 402  
Symptoms: Crusting

Skin corrosion/irritation : Species: Rabbit  
Result: irritating  
Method: OECD Test Guideline 404

Serious eye damage/eye irritation : Species: Rabbit  
Result: Risk of serious damage to eyes.  
Method: OECD Test Guideline 405

Respiratory or skin sensitisation : Test Method: Maximisation Test  
Species: Guinea pig  
Result: Did not cause sensitisation on laboratory animals.  
Method: OECD Test Guideline 406

Reproductive toxicity : Species: Rat  
Application Route: Oral  
NOAEL: 350 mg/kg,  
F1: 350 mg/kg,  
F2: 350 mg/kg, Fertility and developmental toxicity tests did not  
reveal any effect on reproduction.

Teratogenicity : Species: Rat  
300 mg/kg  
300 mg/kg  
  
Species: Mouse  
300 mg/kg



## SANET BR 75 10x1 I

WM 0712920

Order number: 0712920

Version 5.1

Revision Date 28.06.2018

Print Date 02.11.2018

2 mg/kg

Repeated dose toxicity : Rat: NOAEL: 125 mg/kg  
LOAEL: 250 mg/kg  
Application Route: Oral  
Exposure time: 28 d  
Target Organs: Blood, Liver, Heart  
Symptoms: Diarrhoea

Rat: NOAEL: 40 mg/kg  
LOAEL: 115 mg/kg  
Application Route: Oral  
Exposure time: 180 d  
Target Organs: Blood, Kidney  
Symptoms: Diarrhoea

Rat: NOAEL: 85 mg/kg  
LOAEL: 145 mg/kg  
Application Route: Oral  
Exposure time: 270 d  
Target Organs: Blood

STOT - repeated exposure : Assessment: The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Components:

#### **Phosphoric acid 7664-38-2:**

- Toxicity to fish : LC0 (Gambusia affinis (Mosquito fish)): 138 mg/l  
Exposure time: 96 h  
  
LC50 (Lepomis macrochirus (Bluegill sunfish)): 3 - 3,25 mg/l  
Exposure time: 96 h
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia (water flea)): 100 - 1.000 mg/l  
Exposure time: 96 h  
  
EC50 (Daphnia magna (Water flea)): > 100 mg/l  
Exposure time: 48 h  
Test Type: static test  
Method: OECD Test Guideline 202
- Toxicity to algae : EC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l  
Exposure time: 72 h  
Test Type: static test  
Method: OECD Test Guideline 201



## SANET BR 75 10x1 I

WM 0712920

Order number: 0712920

Version 5.1

Revision Date 28.06.2018

Print Date 02.11.2018

NOEC (Desmodesmus subspicatus (green algae)): 100 mg/l  
Exposure time: 72 h  
Test Type: static test  
Method: OECD Test Guideline 201

Toxicity to bacteria : EC50 (activated sludge): 270 mg/l

EC50 (activated sludge): > 1.000 mg/l  
Exposure time: 3 h  
Method: OECD Test Guideline 209

### Alcohols, C13-15-branched and linear, ethoxylated (6 EO) 157627-86-6:

Toxicity to fish : LC50 (Brachydanio rerio): 1 - 10 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 1 - 10 mg/l  
Exposure time: 48 h

Toxicity to algae : EC50 (Scenedesmus subspicatus): 1 - 10 mg/l  
Exposure time: 72 h

Toxicity to bacteria : EC10 (activated sludge): > 1.000 mg/l

Toxicity to fish (Chronic toxicity) : NOEC: 0,1 - 1 mg/l  
Species: Fish

### Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts 68411-30-3:

Toxicity to fish : LC50 (Fish): 1,67 mg/l  
Exposure time: 96 h  
Method: OPPTS 850.1500

NOEC (Pimephales promelas (fathead minnow)): 0,63 mg/l  
Exposure time: 196 d

NOEC (Oncorhynchus mykiss (rainbow trout)): 0,23 mg/l  
Exposure time: 72 d

Toxicity to daphnia and other aquatic invertebrates : LC50 (Daphnia (water flea)): 2,4 mg/l  
Exposure time: 48 h  
Method: Directive 67/548/EEC, Annex V, C.2.

NOEC (Daphnia (water flea)): > 1,41 mg/l  
Exposure time: 21 d  
Method: OECD Test Guideline 211

EC50 (Daphnia magna (Water flea)): 2,9 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae : EbC50 (Pseudokirchneriella subcapitata (green algae)): 47,3 mg/l  
Exposure time: 72 h



## SANET BR 75 10x1 I

WM 0712920

Order number: 0712920

Version 5.1

Revision Date 28.06.2018

Print Date 02.11.2018

- (Chlorella vulgaris (Fresh water algae)): 3,1 mg/l  
Exposure time: 15 d  
Test Type: static test
- EC50 (Pseudokirchneriella subcapitata (green algae)): 29 mg/l  
Exposure time: 96 h
- Toxicity to bacteria : EC50 (Bacteria): 550 mg/l  
Exposure time: 3 h  
Test Type: Respiration inhibition  
Method: OECD Test Guideline 209
- Toxicity to fish (Chronic toxicity) : > 0,1 - 1 mg/l  
Exposure time: 28 d  
Species: Lepomis macrochirus (Bluegill sunfish)
- NOEC: 0,268 mg/l  
Exposure time: 96 d  
Species: Fish
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: > 1 - 10 mg/l
- NOEC: 2,9 mg/l  
Exposure time: 32 d
- Plant toxicity : NOEC: 100 mg/kg  
Species: Sorghum bicolor (sorghum)  
Method: OECD 208

### 12.2 Persistence and degradability

#### Product:

- Biodegradability : Remarks: The surfactant(s) contained in this preparation complies (comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents.

#### Components:

##### **Phosphoric acid 7664-38-2:**

- Biodegradability : Remarks: The methods for determining the biological degradability are not applicable to inorganic substances.

##### **Alcohols, C13-15-branched and linear, ethoxylated (6 EO) 157627-86-6:**

- Biodegradability : Remarks: The surfactant(s) contained in this mixture complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.



## SANET BR 75 10x1 I

WM 0712920

Order number: 0712920

Version 5.1

Revision Date 28.06.2018

Print Date 02.11.2018

Biochemical Oxygen Demand (BOD) : 390 mg/g

Chemical Oxygen Demand (COD) : 2.060 mg/g

### **Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts 68411-30-3:**

Biodegradability : Test Type: aerobic  
Result: rapidly biodegradable  
Exposure time: 28 d  
Kinetic:  
: > 60 %  
Method: OECD 301 B  
Remarks: The surfactant(s) contained in this mixture complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Result: Readily biodegradable.  
Exposure time: 28 d  
Kinetic:  
: 85 %  
Method: OECD 301 B

Result: Readily biodegradable.  
Exposure time: 122 d  
Kinetic:  
: 70 - 99 %

### 12.3 Bioaccumulative potential

#### Components:

#### **Phosphoric acid**

#### **7664-38-2:**

Partition coefficient: n-octanol/water : log Pow: -0,77

#### **Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts**

#### **68411-30-3:**

Bioaccumulation : Species: Pimephales promelas (fathead minnow)  
Exposure time: 192 h  
Method: see user defined free text  
Remarks: Does not significantly accumulate in organisms.

### 12.4 Mobility in soil

No data available



## SANET BR 75 10x1 I

WM 0712920

Order number: 0712920

Version 5.1

Revision Date 28.06.2018

Print Date 02.11.2018

### 12.5 Results of PBT and vPvB assessment

**Product:**

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

**Components:**

**Phosphoric acid  
7664-38-2:**

Assessment : This substance is not considered to be very persistent and very bioaccumulating (vPvB).. This substance is not considered to be persistent, bioaccumulating and toxic (PBT)..

### 12.6 Other adverse effects

**Product:**

Additional ecological information : There is no data available for this product.

---

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Product : Do not dispose of waste into sewer.  
Do not contaminate ponds, waterways or ditches with chemical or used container.  
Offer surplus and non-recyclable solutions to a licensed disposal company.

Contaminated packaging : Empty remaining contents.  
Dispose of as unused product.  
Do not re-use empty containers.

Waste Code : European Waste Catalogue  
200129  
According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.

---

## SECTION 14: Transport information

### 14.1 UN number

ADR : 1760  
IMDG : 1760  
IATA : 1760

### 14.2 Proper shipping name

ADR : CORROSIVE LIQUID, N.O.S.  
(phosphoric acid)

IMDG : CORROSIVE LIQUID, N.O.S.  
(Phosphoric acid)





## SANET BR 75 10x1 I

WM 0712920

Order number: 0712920

Version 5.1

Revision Date 28.06.2018

Print Date 02.11.2018

**IATA** : Corrosive liquid, n.o.s. Not permitted for transport

### 14.3 Transport hazard class

**ADR** : 8

**IMDG** : 8

**IATA** : 8

### 14.4 Packing group

#### **ADR**

Classification Code : C9

Packaging group : III

Hazard Identification Number : 80

Labels : 8

Tunnel restriction code : (E)

#### **IMDG**

Packaging group : III

Labels : 8

EmS Number : F-A, S-B

#### **IATA**

**(Cargo)** : Corrosive liquid, n.o.s. Not permitted for transport

Packaging group : III

Labels : 8

### 14.5 Environmental hazards

#### **ADR**

Environmentally hazardous : no

#### **IMDG**

Marine pollutant : no

#### **IATA**

Environmentally hazardous : no

### 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

For personal protection see section 8.

### 14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of : Not applicable



## SANET BR 75 10x1 I

WM 0712920

Order number: 0712920

Version 5.1

Revision Date 28.06.2018

Print Date 02.11.2018

the Council on the control of  
major-accident hazards involving  
dangerous substances.

TA Luft List (Germany) : Total dust: Not applicable  
: Inorganic substances in powdered form: Not applicable  
: Inorganic substances in vapour or gaseous form: Not applicable  
: Organic Substances: Not applicable  
: Carcinogenic substances: Not applicable  
: Mutagenic: Not applicable  
: Toxic to reproduction: Not applicable

Volatile organic compounds : Percent volatile: 2,12 %  
(VOC) content 125,62 g/l  
VOC content excluding water

Volatile organic compounds : Percent volatile: 2,12 %  
(VOC) content 24,46 g/l  
VOC content valid only for coating materials used on wood surfaces

according to Detergents : <5% Anionic surfactants, Non-ionic surfactants, Perfumes  
Regulation EC 648/2004

GISBAU (D) : GS 50

### 15.2 Chemical safety assessment

There is no data available for this product.

## SECTION 16: Other information

### Full text of H-Statements

H290 May be corrosive to metals.  
H302 Harmful if swallowed.  
H314 Causes severe skin burns and eye damage.  
H315 Causes skin irritation.  
H318 Causes serious eye damage.  
H412 Harmful to aquatic life with long lasting effects.

### Further information

Classification procedure: H319 On basis of test data.  
H315 Calculation method  
H290 On basis of test data.

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways;  
ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS -  
Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body  
weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR -  
Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation;  
DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European



**SANET BR 75 10x1 I**

**WM 0712920**

**Order number: 0712920**

Version 5.1

Revision Date 28.06.2018

Print Date 02.11.2018

Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

500000000938