

## SAFETY DATA SHEET

### ANDARTA FLOOR POLISH STRIPPER

Compiled in Accordance with EU and GB REACH and CLP Regulations.

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

##### 1.1. Product identifier

<b>Product name</b>	ANDARTA FLOOR POLISH STRIPPER
<b>Product number</b>	800-266-0001
<b>Internal identification</b>	40-111
<b>UFI</b>	UFI: KSRQ-A65N-CP7G-8M58

##### 1.2. Relevant identified uses of the substance or mixture and uses advised against

<b>Identified uses</b>	Floor polish stripper.
<b>Uses advised against</b>	Not for Oral Consumption.

##### 1.3. Details of the supplier of the safety data sheet

<b>Supplier</b>	Arrow County Supplies Arrow House, Longden Road, Shrewsbury, Shropshire SY3 9AE Tel: 01743 283600 Email: sales@arrowcounty.com
<b>Contact person</b>	For content of safety data sheet: sales@arrowcounty.com

##### 1.4. Emergency telephone number

<b>Emergency telephone</b>	+44 (0) 1743 283600 (office hours)
<b>National emergency telephone number</b>	In case of a medical emergency following exposure to a chemical call NHS Direct in England or Wales 0845 46 47 or NHS 24 in Scotland 08454 24 24 24
<b>Irish NPIC number</b>	

#### SECTION 2: Hazards identification

##### 2.1. Classification of the substance or mixture

###### Classification (EC 1272/2008)

<b>Physical hazards</b>	Not Classified
<b>Health hazards</b>	Skin Corr. 1B - H314 Eye Dam. 1 - H318
<b>Environmental hazards</b>	Not Classified

##### 2.2. Label elements

###### Hazard pictograms



<b>Signal word</b>	Danger
<b>Hazard statements</b>	H314 Causes severe skin burns and eye damage.

## ANDARTA FLOOR POLISH STRIPPER

<b>Precautionary statements</b>	<p>P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.</p> <p>P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.</p> <p>P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.</p> <p>P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</p> <p>P310 Immediately call a POISON CENTER/ doctor.</p> <p>P501 Dispose of contents/ container in accordance with national regulations.</p>
<b>Contains</b>	DISODIUM METASILICATE, TETRASODIUM ETHYLENE DIAMINE TETRAACETATE, ALCOHOLS, C12-14, ETHOXYLATED, SODIUM HYDROXIDE
<b>Detergent labelling</b>	< 5% EDTA and salts thereof, < 5% non-ionic surfactants
<b>Supplementary precautionary statements</b>	<p>P260 Do not breathe vapour/ spray.</p> <p>P264 Wash contaminated skin thoroughly after handling.</p> <p>P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.</p> <p>P321 Specific treatment (see medical advice on this label).</p> <p>P363 Wash contaminated clothing before reuse.</p> <p>P405 Store locked up.</p>

### 2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

<b>2-(2-BUTOXYETHOXY)ETHANOL</b> <span style="float: right;"><b>5-10%</b></span>		
CAS number: 112-34-5	EC number: 203-961-6	REACH registration number: 01-2119475104-44-xxxx
<b>Classification</b> Eye Irrit. 2 - H319		
<b>DISODIUM METASILICATE</b> <span style="float: right;"><b>1-5%</b></span>		
CAS number: 6834-92-0	EC number: 229-912-9	REACH registration number: 01-2119449811-37-XXXX
<b>Classification</b> Met. Corr. 1 - H290 Skin Corr. 1B - H314 Eye Dam. 1 - H318 STOT SE 3 - H335		<b>Classification (67/548/EEC or 1999/45/EC)</b> C;R34 Xi;R37
<b>TETRASODIUM ETHYLENE DIAMINE TETRAACETATE</b> <span style="float: right;"><b>1-5%</b></span>		
CAS number: 64-02-8	EC number: 200-573-9	REACH registration number: 01-2119486762-27-XXXX
<b>Classification</b> Acute Tox. 4 - H302 Acute Tox. 4 - H332 Eye Dam. 1 - H318		<b>Classification (67/548/EEC or 1999/45/EC)</b> Xn;R22 Xi;R41

## ANDARTA FLOOR POLISH STRIPPER

<b>ALCOHOLS, C12-14, ETHOXYLATED</b>	<b>1-5%</b>
CAS number: 68439-50-9	EC number: 500-213-3
	REACH registration number: 01-2119487984-16-XXXX
M factor (Acute) = 1	
<b>Classification</b>	
Eye Dam. 1 - H318	
Aquatic Acute 1 - H400	
Aquatic Chronic 3 - H412	
<b>SODIUM HYDROXIDE</b>	<b>1-5%</b>
CAS number: 1310-73-2	EC number: 215-185-5
	REACH registration number: 01-2119457892-27-XXXX
<b>Classification</b>	
Met. Corr. 1 - H290	
Skin Corr. 1A - H314	
Eye Dam. 1 - H318	

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

<b>General information</b>	Get medical attention immediately. Provide eyewash station and safety shower.
<b>Inhalation</b>	Remove affected person from source of contamination. Keep affected person warm and at rest. Get medical attention immediately. For breathing difficulties, oxygen may be necessary.
<b>Ingestion</b>	Never give anything by mouth to an unconscious person. Rinse mouth thoroughly with water. Give plenty of water to drink. Do not induce vomiting. Get medical attention immediately. Show this Safety Data Sheet to the medical personnel.
<b>Skin contact</b>	Remove affected person from source of contamination. Remove contaminated clothing. Wash skin thoroughly with soap and water. Get medical attention promptly if symptoms occur after washing.
<b>Eye contact</b>	Remove affected person from source of contamination. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention immediately. Continue to rinse.
<b>Protection of first aiders</b>	First aid personnel should wear appropriate protective equipment during any rescue.

#### 4.2. Most important symptoms and effects, both acute and delayed

<b>General information</b>	The severity of the symptoms described will vary dependent on the concentration and the length of exposure. Chemical burns must be treated by a physician. Get medical attention immediately.
<b>Inhalation</b>	Severe irritation of nose and throat. May cause an asthma-like shortness of breath.
<b>Ingestion</b>	This product is corrosive. Small amounts may cause serious damage. May cause chemical burns in mouth, oesophagus and stomach.
<b>Skin contact</b>	May cause serious chemical burns to the skin.

## ANDARTA FLOOR POLISH STRIPPER

**Eye contact** This product is corrosive. A single exposure may cause the following adverse effects: Severe irritation, burning, tearing and blurred vision. Prolonged contact causes serious eye and tissue damage. Corneal damage.

### 4.3. Indication of any immediate medical attention and special treatment needed

**Notes for the doctor** Treat symptomatically. Ensure skin and eyes are well rinsed to neutral pH. Check Mouth for evidence of irritation.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

**Suitable extinguishing media** The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire. Foam, carbon dioxide or dry powder.

### 5.2. Special hazards arising from the substance or mixture

**Specific hazards** In contact with some metals can generate hydrogen gas, which can form explosive mixtures with air. Avoid contact with the following materials: Aluminium. Zinc. Avoid contact with water. May generate heat.

### 5.3. Advice for firefighters

**Protective actions during firefighting** Control run-off water by containing and keeping it out of sewers and watercourses.

**Special protective equipment for firefighters** Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

**Personal precautions** Wear protective clothing as described in Section 8 of this safety data sheet.

### 6.2. Environmental precautions

**Environmental precautions** Avoid or minimise the creation of any environmental contamination. Spillages or uncontrolled discharges into watercourses must be reported immediately to the Environmental Agency or other appropriate regulatory body.

### 6.3. Methods and material for containment and cleaning up

**Methods for cleaning up** Do not touch or walk into spilled material. Stop leak if safe to do so. Small Spillages: Flush away spillage with plenty of water. Large Spillages: Absorb in vermiculite, dry sand or earth and place into containers. Flush contaminated area with plenty of water. Collect and place in suitable waste disposal containers and seal securely.

### 6.4. Reference to other sections

**Reference to other sections** For waste disposal, see Section 13. See Section 11 for additional information on health hazards. See Section 1 for emergency contact information.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

**Usage precautions** Avoid contact with skin and eyes. Avoid spilling. Wear protective clothing as described in Section 8 of this safety data sheet. Avoid the formation of mists. Provide adequate ventilation. Do not mix with other chemicals or detergents. Do not mix with acid.

## ANDARTA FLOOR POLISH STRIPPER

### Advice on general occupational hygiene

Good personal hygiene procedures should be implemented. Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling. Eye wash facilities and emergency shower must be available when handling this product. Wash promptly with soap and water if skin becomes contaminated. Take off immediately all contaminated clothing and wash it before reuse.

### 7.2. Conditions for safe storage, including any incompatibilities

**Storage precautions** Store in tightly-closed, original container in a well-ventilated place. Store away from the following materials: Acids. Oxidising materials.

**Storage class** Corrosive storage.

### 7.3. Specific end use(s)

**Specific end use(s)** The identified uses for this product are detailed in Section 1.2.

## SECTION 8: Exposure controls/Personal protection

### 8.1. Control parameters

#### Occupational exposure limits

#### 2-(2-BUTOXYETHOXY)ETHANOL

Long-term exposure limit (8-hour TWA): WEL 10 ppm 67.5 mg/m<sup>3</sup>

Short-term exposure limit (15-minute): WEL 15 ppm 101.2 mg/m<sup>3</sup>

#### SODIUM HYDROXIDE

Short-term exposure limit (15-minute): WEL 2 mg/m<sup>3</sup>

WEL = Workplace Exposure Limit.

#### 2-(2-BUTOXYETHOXY)ETHANOL (CAS: 112-34-5)

<b>DNEL</b>	<p>Workers - Inhalation; Long term systemic effects: 67.5 mg/m<sup>3</sup></p> <p>Workers - Inhalation; Long term local effects: 67.5 mg/m<sup>3</sup></p> <p>Workers - Dermal; Long term systemic effects: 20 mg/kg/day</p> <p>General population - Inhalation; Long term systemic effects: 34 mg/m<sup>3</sup></p> <p>General population - Inhalation; Long term local effects: 34 mg/m<sup>3</sup></p> <p>General population - Inhalation; Short term local effects: 34 mg/m<sup>3</sup></p> <p>General population - Inhalation; Short term local effects: 50.6 mg/m<sup>3</sup></p> <p>General population - Dermal; Long term systemic effects: 10 mg/kg/day</p> <p>General population - Oral; Long term systemic effects: 1.25 mg/kg/day</p>
<b>PNEC</b>	<ul style="list-style-type: none"> <li>- Fresh water; 1 mg/l</li> <li>- marine water; 0.1 mg/l</li> <li>- Intermittent release; 3.9 mg/l</li> <li>- STP; 200 mg/l</li> <li>- Sediment (Freshwater); 4 mg/kg</li> <li>- Sediment (Marinewater); 0.4 mg/kg</li> <li>- Soil; 0.4 mg/kg</li> </ul>

#### TETRASODIUM ETHYLENE DIAMINE TETRAACETATE (CAS: 64-02-8)

<b>DNEL</b>	<p>General population - Oral; Long term systemic effects: 25 mg/kg/day</p> <p>General population - Inhalation; Long term local effects: 0.6 mg/m<sup>3</sup></p> <p>General population - Inhalation; Short term local effects: 1.2 mg/m<sup>3</sup></p> <p>Workers - Inhalation; Long term local effects: 1.5 mg/m<sup>3</sup></p> <p>Workers - Inhalation; Short term local effects: 3 mg/m<sup>3</sup></p>
-------------	--

## ANDARTA FLOOR POLISH STRIPPER

<b>PNEC</b>	<ul style="list-style-type: none"> <li>- Fresh water; 2.2 mg/l</li> <li>- marine water; 0.22 mg/l</li> <li>- Intermittent release; 1.2 mg/l</li> <li>- STP; 43 mg/l</li> <li>- Soil; 0.72 mg/kg</li> </ul>
-------------	--

### ALCOHOLS, C12-14, ETHOXYLATED (CAS: 68439-50-9)

<b>DNEL</b>	<p>Workers - Inhalation; Long term systemic effects: 294 mg/m<sup>3</sup></p> <p>Workers - Dermal; Long term systemic effects: 2080 mg/kg/day</p> <p>General population - Inhalation; Long term systemic effects: 87 mg/m<sup>3</sup></p> <p>General population - Dermal; Long term systemic effects: 1250 mg/kg/day</p> <p>General population - Oral; Long term systemic effects: 25 mg/kg/day</p>
-------------	---

<b>PNEC</b>	<ul style="list-style-type: none"> <li>- Fresh water; 0.0437 mg/l</li> <li>- Intermittent release; 0.004 mg/l</li> <li>- STP; 10 mg/l</li> <li>- Sediment (Freshwater); 31 mg/kg</li> <li>- Sediment (Marinewater); 31 mg/kg</li> <li>- Soil; 1 mg/kg</li> </ul>
-------------	--

### SODIUM HYDROXIDE (CAS: 1310-73-2)

<b>DNEL</b>	<p>Industry - Inhalation; Long term local effects: 1.0 mg/m<sup>3</sup></p> <p>Consumer - Inhalation; Long term local effects: 1.0 mg/m<sup>3</sup></p>
-------------	---

## 8.2. Exposure controls

### Protective equipment



### Appropriate engineering controls

Provide adequate ventilation. Avoid inhalation of vapours. Observe any occupational exposure limits for the product or ingredients.

### Personal protection

This is not a Risk/COSHH assessment. Information contained in this document should be used to conduct a risk assessment.

Information given in this document relates to the neat product as supplied. In use solutions are likely to have extreme pH values, thus use of gloves and eye protection is recommended where the assessment indicates a risk of exposure.

### Eye/face protection

Chemical splash goggles or face shield. Personal protective equipment for eye and face protection should comply with European Standard EN166.

### Hand protection

Wear protective gloves. Neoprene. Nitrile rubber. Polyethylene. Polyvinyl chloride (PVC). A break through time of >60 minutes is suggested. Gloves should be inspected regularly for damage. To protect hands from chemicals, gloves should comply with European Standard EN374.

### Other skin and body protection

Wear appropriate clothing to prevent any possibility of skin contact.

### Hygiene measures

Provide eyewash station and safety shower. Wash at the end of each work shift and before eating, smoking and using the toilet. Wash promptly if skin becomes contaminated. Promptly remove any clothing that becomes contaminated.

### Respiratory protection

No specific recommendations. Respiratory protection must be used if the airborne contamination exceeds the recommended occupational exposure limit.

## ANDARTA FLOOR POLISH STRIPPER

**Environmental exposure controls** Avoid releasing into the environment. Residues and empty containers should be taken care of as hazardous waste according to local and national provisions.

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

<b>Appearance</b>	Liquid.
<b>Colour</b>	Colourless.
<b>Odour</b>	Mild. Unperfumed.
<b>pH</b>	pH (concentrated solution): 13.5 TYPICALLY Use solutions are likely to have a pH >13.
<b>Melting point</b>	Not applicable.
<b>Initial boiling point and range</b>	Not determined but expected to be >90 Degrees C.
<b>Flash point</b>	Not applicable.
<b>Evaporation rate</b>	Not applicable.
<b>Evaporation factor</b>	Not applicable.
<b>Upper/lower flammability or explosive limits</b>	The product is not flammable.
<b>Vapour pressure</b>	Not determined.
<b>Vapour density</b>	Not applicable.
<b>Relative density</b>	1.045-1.060 @ @ 20°C
<b>Bulk density</b>	Not applicable.
<b>Solubility(ies)</b>	Soluble in water.
<b>Partition coefficient</b>	Not technically possible for a mixture.
<b>Auto-ignition temperature</b>	Not applicable.
<b>Decomposition Temperature</b>	Not applicable.
<b>Viscosity</b>	No information available.
<b>Explosive properties</b>	Not applicable.
<b>Explosive under the influence of a flame</b>	Not considered to be explosive.
<b>Oxidising properties</b>	The mixture itself has not been tested but none of the ingredient substances meet the criteria for classification as oxidising.
<b>Comments</b>	Information given is applicable to the product as supplied.

#### 9.2. Other information

**Other information** Not relevant.

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

**Reactivity** Reactions with the following materials may generate heat: Water. Strong acids. In contact with some metals can generate hydrogen gas, which can form explosive mixtures with air. Avoid contact with the following materials: Aluminium. Zinc. Tin.

#### 10.2. Chemical stability

## ANDARTA FLOOR POLISH STRIPPER

**Stability** Stable at normal ambient temperatures.

### 10.3. Possibility of hazardous reactions

**Possibility of hazardous reactions** The following materials may react violently with the product: Chlorohydrocarbons. Acids. Reactions with the following materials may generate heat: Water.

### 10.4. Conditions to avoid

**Conditions to avoid** Avoid excessive heat for prolonged periods of time.

### 10.5. Incompatible materials

**Materials to avoid** Acids. Ammonia. Chlorinated hydrocarbons. Aluminium. Tin. Zinc.

### 10.6. Hazardous decomposition products

**Hazardous decomposition products** Hydrogen. (comment relates to decomposition when in contact with Soft Metals such as Aluminium and Zinc).

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

**Toxicological effects** Information given is based on data of the components and of similar products.

**Other health effects** There is no evidence that the product can cause cancer.

#### Acute toxicity - oral

**Notes (oral LD<sub>50</sub>)** Based on available data the classification criteria are not met. Calculation method.

**ATE oral (mg/kg)** 89,000.0

#### Acute toxicity - dermal

**Notes (dermal LD<sub>50</sub>)** Based on available data the classification criteria are not met.

#### Acute toxicity - inhalation

**Notes (inhalation LC<sub>50</sub>)** Based on available data the classification criteria are not met.

**ATE inhalation (dusts/mists mg/l)** 207.0

#### Skin corrosion/irritation

**Skin corrosion/irritation** Causes severe burns. Calculation method.

#### Serious eye damage/irritation

**Serious eye damage/irritation** Corrosivity to eyes is assumed.

#### Respiratory sensitisation

**Respiratory sensitisation** Based on available data the classification criteria are not met.

#### Skin sensitisation

**Skin sensitisation** Based on available data the classification criteria are not met.

#### Germ cell mutagenicity

**Genotoxicity - in vitro** Does not contain any substances known to be mutagenic.

#### Carcinogenicity

**Carcinogenicity** Does not contain any substances known to be carcinogenic.

#### Reproductive toxicity

**Reproductive toxicity - fertility** Based on available data the classification criteria are not met. Does not contain any substances known to be toxic to reproduction.



## ANDARTA FLOOR POLISH STRIPPER

### Specific target organ toxicity - single exposure

**STOT - single exposure** Not classified as a specific target organ toxicant after a single exposure.

### Specific target organ toxicity - repeated exposure

**STOT - repeated exposure** Contact with concentrated chemical may cause severe skin damage.

### **General information**

Corrosive to skin and eyes.

### **Inhalation**

Spray/mists may cause respiratory tract irritation. A single exposure may cause the following adverse effects: Coughing. Difficulty in breathing. May cause damage to mucous membranes in nose, throat, lungs and bronchial system.

### **Ingestion**

May cause burns in mucous membranes, throat, oesophagus and stomach.

### **Skin contact**

May cause serious chemical burns to the skin. Repeated exposure may cause skin dryness or cracking.

### **Eye contact**

Causes burns. A single exposure may cause the following adverse effects: Corneal damage. Contact with concentrated chemical may very rapidly cause severe eye damage, possibly loss of sight.

### Toxicological information on ingredients.

#### DISODIUM METASILICATE

##### Acute toxicity - dermal

**Acute toxicity dermal (LD<sub>50</sub> mg/kg)** 5,000.0

**Species** Rat

**ATE dermal (mg/kg)** 5,000.0

### **SECTION 12: Ecological information**

#### **Ecotoxicity**

There are no data on the ecotoxicity of this product. However, large or frequent spills may have hazardous effects on the environment.

#### 12.1. Toxicity

##### **Toxicity**

The product may affect the acidity (pH) of water which may have hazardous effects on aquatic organisms.

##### Acute aquatic toxicity

**Acute toxicity - aquatic plants** May cause long lasting harmful effects to aquatic life.

**Acute toxicity - terrestrial** Can cause damage to vegetation.

#### 12.2. Persistence and degradability

**Persistence and degradability** The surfactant(s) contained in this product complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents.

#### 12.3. Bioaccumulative potential

**Bioaccumulative potential** The product is not bioaccumulating.

##### **Partition coefficient**

Not technically possible for a mixture.

#### 12.4. Mobility in soil

##### **Mobility**

The product is water-soluble and may spread in water systems.

## ANDARTA FLOOR POLISH STRIPPER

### 12.5. Results of PBT and vPvB assessment

**Results of PBT and vPvB assessment** This product does not contain any substances classified as PBT or vPvB.

### 12.6. Other adverse effects

**Other adverse effects** None known.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

**General information** Waste is classified as hazardous waste. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. When handling waste, the safety precautions applying to handling of the product should be considered.

**Disposal methods** The packaging must be empty (drop-free when inverted). Wash with plenty of water. Dispose of waste via a licensed waste disposal contractor. Reuse or recycle products wherever possible.

**Waste class** EWC Code: 06 02 04

## SECTION 14: Transport information

### 14.1. UN number

<b>UN No. (ADR/RID)</b>	1760
<b>UN No. (IMDG)</b>	1760
<b>UN No. (ICAO)</b>	1760
<b>UN No. (ADN)</b>	1760

### 14.2. UN proper shipping name

<b>Proper shipping name (ADR/RID)</b>	CORROSIVE LIQUID, N.O.S. (CONTAINS SODIUM HYDROXIDE, DISODIUM METASILICATE)
<b>Proper shipping name (IMDG)</b>	CORROSIVE LIQUID, N.O.S. (CONTAINS SODIUM HYDROXIDE, DISODIUM METASILICATE)
<b>Proper shipping name (ICAO)</b>	CORROSIVE LIQUID, N.O.S. (CONTAINS SODIUM HYDROXIDE, DISODIUM METASILICATE)
<b>Proper shipping name (ADN)</b>	CORROSIVE LIQUID, N.O.S. (CONTAINS SODIUM HYDROXIDE, DISODIUM METASILICATE)

### 14.3. Transport hazard class(es)

<b>ADR/RID class</b>	8
<b>ADR/RID classification code</b>	C9
<b>ADR/RID label</b>	8
<b>IMDG class</b>	8
<b>ICAO class/division</b>	8
<b>ADN class</b>	8

### Transport labels



## ANDARTA FLOOR POLISH STRIPPER

### 14.4. Packing group

ADR/RID packing group	II
IMDG packing group	II
ICAO packing group	II
ADN packing group	II

### 14.5. Environmental hazards

#### Environmentally hazardous substance/marine pollutant

No.

### 14.6. Special precautions for user

EmS	F-A, S-B
ADR transport category	2
Emergency Action Code	2X
Hazard Identification Number (ADR/RID)	80
Tunnel restriction code	(E)

### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

Annex II of MARPOL 73/78 and the IBC Code

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### National regulations

GB (UK) CLP and REACH Regulations.  
 The Control of Substances Hazardous to Health Regulations 2002 (SI 2002 No. 2677) (as amended).  
 Control of Pollution (Special Waste) Regulations 1980 (as amended).  
 The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2009 (SI 2009 No. 1348) (as amended) ["CDG 2009"].  
 EH40/2005 Workplace exposure limits.  
 The Hazardous Waste Regulations 2005.

#### EU legislation

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended).  
 Commission Directive 2000/39/EC of 8 June 2000 establishing a first list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work (as amended).  
 Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).  
 Commission Regulation (EU) No 453/2010 of 20 May 2010.  
 Commission Decision 2000/532/EC as amended by Decision 2001/118/EC establishing a list of wastes and hazardous waste pursuant to Council Directive 75/442/EEC on waste and Directive 91/689/EEC on hazardous waste with amendments.  
 Commission Regulation (EU) No 2015/830 of 28 May 2015.

## ANDARTA FLOOR POLISH STRIPPER

<b>Guidance</b>	<p>COSHH Essentials.</p> <p>Technical Guidance WM2: Hazardous Waste.</p> <p>ECHA Guidance on the Application of the CLP Criteria.</p> <p>ECHA Guidance on the compilation of safety data sheets.</p> <p>Workplace Exposure Limits EH40.</p>
-----------------	---

### 15.2. Chemical safety assessment

No information available.

### SECTION 16: Other information

<b>Abbreviations and acronyms used in the safety data sheet</b>	<p>EWC European Waste Catalogue</p> <p>STOT RE = Specific target organ toxicity-repeated exposure</p> <p>PBT: Persistent, Bioaccumulative and Toxic substance.</p> <p>vPvB: Very Persistent and Very Bioaccumulative.</p> <p>PNEC: Predicted No Effect Concentration.</p> <p>DNEL: Derived No Effect Level.</p>
<b>General information</b>	Only trained personnel should use this material.
<b>Revision comments</b>	This is the first issue.
<b>Revision date</b>	01/09/2021
<b>Revision</b>	1
<b>SDS number</b>	22693
<b>Risk phrases in full</b>	<p>R20/21/22 Harmful by inhalation, in contact with skin and if swallowed.</p> <p>R34 Causes burns.</p> <p>R35 Causes severe burns.</p> <p>R36 Irritating to eyes.</p> <p>R36/38 Irritating to eyes and skin.</p> <p>R37 Irritating to respiratory system.</p>
<b>Hazard statements in full</b>	<p>H290 May be corrosive to metals.</p> <p>H302 Harmful if swallowed.</p> <p>H314 Causes severe skin burns and eye damage.</p> <p>H318 Causes serious eye damage.</p> <p>H319 Causes serious eye irritation.</p> <p>H332 Harmful if inhaled.</p> <p>H335 May cause respiratory irritation.</p> <p>H400 Very toxic to aquatic life.</p> <p>H412 Harmful to aquatic life with long lasting effects.</p>