

THE PROBLEM

Safety flooring is notoriously difficult to clean

Although excellent at preventing slips in commercial environments and incredibly hard wearing when maintained correctly, safety flooring can be notoriously difficult to clean. Safety flooring's non-slip properties are created by the peaks and troughs in it's sandpaper like surface. Dirt gets captured in the recesses making it incredibly difficult and labour intensive to clean.

If dirt is left to accumulate, not only is the floor unhygienic, but it loses it's non-slip qualities which is not only counterproductive but also hazardous.



Safety flooring features a sandpaper like "peak and trough" pitted surface to reduce slips.



Dirt gathers and gets caught in the 'troughs' of the safety flooring's pitted surface.



Traditional mopping only skims the peaks, leaving dirt behind. Deck scrubbers only move the dirt around.



Over time dirt builds up in the recesses of the safety flooring which makes it look dull or patchy.



OCELOT 400

Specialist Safety Floor Cleaning Machine

The Ocelot 400 is a high speed oscillating machine which effortlessly achieves outstanding results with reduced chemical usage.

Unrivalled mechanical cleaning operation through crosswise oscillation creating 3000 rounds of 7mm cleaning action per minute.

The Ocelot can be used for over an hour on a single charge, and can be fully recharged in under 4 hours.

The Ocelot features a compact design whilst maintaining a 400 mm cleaning pad. This makes the Ocelot 400 lightweight and manoeuvrable enough to clean in tight spaces.

 Code
 Description

 VR-OB400
 Ocelot 400 Starter Kit

- Superior cleaning results \checkmark
 - Reduced chemical use ✓
 - Robust & built to last ✓
 - Long runtime 1.5hr+ ✓
 - No trailing cables ✓
 - Made in the U.K ✓
 - Fast charge ✓

AFTER



Single Safety Switch

This allows the machine to be operated with a single hand, but cuts the power instantly if required.

4l Solution Tank

Holds 4 litres of solution, proving enough solution for cleaning large commercial areas.

Microfibre Pads

Specifically designed microfibre pads are highly absorbent to clean the floor and leave it dry instantly.

High Powered Oscillation

3000 rounds of 7mm cleaning action per minute creates superior results.

Strategic Water Feed

Solution is dispensed in a rainfall formation in front of the drive plate.



Lightweight

At just 16kg the Ocelot is easy to manoeuvre and transport.



Simple to Use

The Ocelot has no complicated menus or buttons. Simply switch on and start cleaning



Edge to Edge Cleaning

Unlike circular rotary machines, The Ocelot's rectangular drive board allows edge-to-edge cleaning.



Long Battery Life

The Ocelot will run for 1.5 hours on a full charge.



Swap Out Battery

The easy swap out battery ensures the Ocelot can be in use for as long as necessary.



Deep Cleaning Action

3000 rounds of 7mm cleaning action per minute creates superior results on a range of hard floors.




OCELOT

Reduced Chemical Use

Even if there is a build up of dirt only a neutral cleaning solution or plain water is required.



Why Oscillation?



Cleaning safety flooring is synonymous with time-consuming, labour-intensive and offen unsatisfactory results.

Oscillating floorcare machines are incredibly effective at maintaining floors. Compared to traditional rotary scrubbers that rotate circular pads between 175 and 300 revolutions per minute, oscillating floor machines oscillate the typically rectangular-shaped pad driver offer 3000 rounds of 7mm cleaning action per minute. The quicker revolutions allow operatives to make light work of cleaning floors.

The increased agitation through speed reduces the amount of time it takes to scrub the floor.

Key Benefits



Reduces Slip Hazards
Less water use on the floor ensures
floors are perfectly dry instantly,
whilst restoring the non-slip
properties of safety flooring.



Reduced Chemical Costs
The efficacy of the mechanical action,
combined with the use of abrasive
pads, minimizes the use of detergents



Reduced Training Time
No complicated displays or
excessive settings, the Ocelot is
very simple to use.



Versatile Cleaning
Although the Ocelot has been designed to clean safety flooring, it also creates outstanding results on a range of floor types.

Available Cleaning kits for Safety Flooring

Maintenance



Microfibre
Ideal for light duty and
maintenance cleaning tasks.
Ideal for safety flooring.

Deep Cleaning



Melamine
Ideal for deep
cleaning of safety
flooring.



Drying PadIdeal for drying
safety flooring after
a deep clean.



Ocelot 400 Machine

Included with your purchase



Quick Release Battery & Charger



Microfibre Pad



4 Litre Solution Tank

Technical	Specifications
-----------	----------------

	VR-OB400
Power	24V, 450W (0.6HP)
Working Width (mm)	400
Noise Level (dBA)	79 dBA
Runtime (hr)	1.5
Charge Time (from flat) (hr)	4
Vibration at Handle mms/2	15
Vibration m/s^2	8.25
Dimensions HxWxD (mm)	1160 x 400 x 330
Weight (kg)	16
Solution tank (I)	4
Warranty (Years)	3

Available Accessories

Code:	Name
VE40665	Microfibre pads (3 pc)
VE40529	Melamine pads (3 pc)
VE40496	Drying Pad (3 pc)
VA9203	4 Litre Tank
R1073	Spare Battery
R1075	Replacement Charging Cable





www.VictorFloorcare.com